

HDPE Pipe



Disclaimer

Information in the catalog

GF Central Plastics is as diligent as possible in compiling and updating the information in its catalog. However, GF Central Plastics does not guarantee the correctness and completeness of the information provided in its catalog. Equally, GF Central Plastics does not guarantee that this information is up to date. Drawings dimensions and weights, unless otherwise noted by tolerances, should be considered for reference only and may not reflect the exact physical measurements of the parts. For questions concerning our products, their specifications and their utilization please contact your local Regional Sales Manager or Customer Service Representative of GF Central Plastics. For comments concerning the product catalog, please email gfccentralmarketing@georgfischer.com.

Pipe

Weatherability

GF Central Plastics black polyethylene pipe, PE3408/PE3608/PE4710, is protected against degradation by a combination of stabilizers and carbon black. The pipe formulation contains in excess of 2% carbon black imparting the black color as well as effective protection from ultraviolet radiation. Carbon black is the single most effective additive to enhance weatherability in GF Central Plastics' polyethylene pipe. Weatherability studies indicate that carbon black imparts UV stability that makes our polyethylene pipe acceptable for normal outside storage for a period of years without a detrimental loss of physical properties. Good inventory practices should be maintained to insure optimum performance by installing the pipe in two years or less. If pipe must be stored for more than two years, it should be stored under cover, out of direct sunlight.

Joining

Industry standards recommend the butt heat fusion method for joining. The butt heat fusion joints are as strong as the pipe wall itself. Quick bursts tests have shown ductile rupture of the pipe wall before rupture of the fusion joint.

Applications

GF Central Plastics is well qualified to meet the demanding needs of the municipal water and wastewater markets, energy markets in applications such as oil and gas gathering systems, methane recovery from coal seams and landfills, and water supply lines for oil recovery systems. Pipe marked with NSF-61 meets the rigorous standards of third party testing performed by the National Sanitation Foundation. This pipe is manufactured to ASTM D3035 and F-714.

Improved Material Designations

The recent updates and additions to ASTM D3350 caused the EHMW-HDPE resins designated as PE3408 in 2006, to become PE3608 in 2007. The HDPE material did not change, but the ASTM D3350 cell classification that described the material did change, necessitating the upgrade to PE3608. Those same changes encompassed the addition of PE4710 High Performance Polyethylene (HPPE) into the arsenal of pipe grade resins. A PE4710 HPPE piping system can result in a 15% savings when compared to current costs of PE3408 piping systems. By virtue of its higher pressure rating enabling the use of the next lower DR, wall thickness becomes less, ID increases and the weight per foot of pipe is reduced.

PE3608 Material Designation (prev. PE3408)

Materials designated as PE3608 have a hydrostatic design basis of 1600 psi for water at 73° F. After applying the 0.5 Design Factor, the design working stress for 73°F is 800 psi.

PE4710 Material Designation (prev. PE3408)

Materials designated as PE4710 have a hydrostatic design basis of 1600 psi for water at 73° F. After applying the 0.63 Design Factor, the design working stress for 73° F is 1000 psi. PE4710 has higher performance as described in PPI's TN41.

Pressure Ratings

The longevity of polyethylene pipe is calculated between 50 years to 100 years when properly engineered and installed for the conditions and application. Pressure ratings for polyethylene pipe are determined by use of the ISO equation:

$$P = [(2 \times \text{HDB}) / (\text{SDR} - 1)] \times \text{DF} \times \text{F}_T$$

P = Working pressure of the pipeline

HDB = Hydrostatic Design Basis of the material
1600 psi for PE 3408, PE3608 or PE4710

SDR = Standard Dimension Ratio (OD/min wall)

DF = Design Factor

F_T = Elevated temperature service factor

A design factor of 0.50 is recommended for water or dry natural gas in areas not affected by Federal regulations. The design factor dry natural gas in areas under the U.S. Department of Transportation (DOT) jurisdiction, according to the Code of Federal Regulations, Title 49, Part 192.123, is 0.32 with a maximum allowable operating pressure of 100 psi. The Design Factor for crude oil or wet natural gas is 0.25.

Elevated Temperature Service Factor (F_T)

| MAXIMUM CONTINUOUSLY APPLIED SERVICE TEMPERATURE, °F (°C) | TEMPERATURE COMPENSATION FACTOR, FT, FOR PE3408 / PE3608 / PE4710 |
|---|---|
| < 80 (26) | 1.00 |
| < 90 (32) | 0.90 |
| < 100 (38) | 0.78 |
| < 110 (43) | 0.75 |
| < 120 (49) | 0.63 |
| < 130 (54) | 0.60 |
| < 140 (60) | 0.50 |

Applicable / Available Standards

ASTM: F714, F2620, D3035, D3350, D2513
NSF 61, AWWA C901/C906, FM 1613

Table of Contents

HDPE Pipe

| | |
|--|-----|
| Industry No Stripe | 2 |
| Fire Protection Pipe Red Stripe | 29 |
| Potable Water Industry Blue Stripe | 42 |
| Waste Water Industry Green Stripe | 63 |
| Methane/Propane Natural Gas Industry Yellow Stripe | 89 |
| Index | 103 |

IPS - 50' Long



**HDPE PIPE: Industry
IPS, DR17
Gray Pipe, No Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 10 | 10.750 | 360 031 267 | 8.830 |
| 16 | 16.000 | 360 031 315 | 19.570 |
| 24 | 24.000 | 360 031 347 | 44.030 |



**HDPE PIPE: Industry
IPS, DR19
Gray Pipe, No Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 031 239 | 3.020 |
| 8 | 8.625 | 360 031 255 | 5.120 |
| 10 | 10.750 | 360 031 271 | 7.960 |
| 12 | 12.750 | 360 031 287 | 11.200 |
| 14 | 14.000 | 360 031 303 | 13.500 |
| 16 | 16.000 | 360 031 319 | 17.630 |
| 18 | 18.000 | 360 031 335 | 22.320 |



**HDPE PIPE: Industry
IPS, DR7
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 6 | 6.625 | 360 030 572 | 7.370 |
| 8 | 8.625 | 360 030 626 | 12.500 |
| 10 | 10.750 | 360 030 680 | 19.420 |
| 12 | 12.750 | 360 030 734 | 27.310 |
| 14 | 14.000 | 360 030 788 | 32.930 |
| 16 | 16.000 | 360 030 812 | 43.010 |
| 18 | 18.000 | 360 030 866 | 54.430 |
| 20 | 20.000 | 360 030 908 | 67.200 |
| 22 | 22.000 | 360 030 950 | 81.320 |
| 24 | 24.000 | 360 030 992 | 96.770 |



**HDPE PIPE: Industry
IPS, DR9
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 6 | 6.625 | 360 030 578 | 5.960 |
| 8 | 8.625 | 360 030 632 | 10.110 |
| 10 | 10.750 | 360 030 686 | 15.700 |
| 12 | 12.750 | 360 030 740 | 22.080 |
| 14 | 14.000 | 360 030 794 | 26.630 |
| 16 | 16.000 | 360 030 818 | 34.780 |
| 18 | 18.000 | 360 030 872 | 44.020 |
| 20 | 20.000 | 360 030 914 | 54.340 |
| 22 | 22.000 | 360 030 956 | 65.750 |
| 24 | 24.000 | 360 030 998 | 78.250 |
| 26 | 26.000 | 360 031 036 | 91.840 |
| 30 | 30.000 | 360 031 060 | 122.270 |
| 32 | 32.000 | 360 031 074 | 139.120 |



**HDPE PIPE: Industry
IPS, DR11
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|-------------|----------------|
| 6 | 6.625 | 360 030 584 | 5.000 |
| 8 | 8.625 | 360 030 638 | 8.470 |
| 10 | 10.750 | 360 030 692 | 13.160 |
| 12 | 10.750 | 360 030 746 | 18.510 |
| 14 | 14.000 | 360 030 800 | 22.320 |
| 16 | 16.000 | 360 030 824 | 29.150 |
| 18 | 18.000 | 360 030 878 | 36.890 |
| 20 | 20.000 | 360 030 920 | 45.540 |
| 22 | 22.000 | 360 030 962 | 55.100 |
| 24 | 24.000 | 360 031 004 | 65.580 |
| 26 | 26.000 | 360 031 038 | 76.960 |
| 28 | 28.000 | 360 031 050 | 89.260 |
| 30 | 30.000 | 360 031 062 | 102.470 |
| 32 | 32.000 | 360 031 076 | 116.580 |
| 36 | 36.000 | 360 031 086 | 147.550 |



**HDPE PIPE: Industry
IPS, DR13.5
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|-------------|----------------|
| 6 | 6.625 | 360 030 590 | 4.150 |
| 8 | 8.625 | 360 030 644 | 7.040 |
| 10 | 10.750 | 360 030 698 | 10.930 |
| 16 | 16.000 | 360 030 830 | 24.220 |



**HDPE PIPE: Industry
IPS, DR15.5
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 10 | 10.750 | 360 030 704 | 9.630 |



**HDPE PIPE: Industry
IPS, DR17
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 030 602 | 3.360 |
| 8 | 8.625 | 360 030 656 | 5.690 |
| 10 | 10.750 | 360 030 710 | 8.830 |
| 12 | 12.750 | 360 030 764 | 12.430 |
| 16 | 16.000 | 360 030 842 | 19.570 |
| 18 | 18.000 | 360 030 884 | 24.770 |
| 20 | 20.000 | 360 030 926 | 30.580 |
| 22 | 22.000 | 360 030 968 | 37.000 |
| 24 | 24.000 | 360 031 010 | 44.030 |
| 26 | 26.000 | 360 031 040 | 51.670 |
| 28 | 28.000 | 360 031 052 | 59.930 |
| 30 | 30.000 | 360 031 064 | 68.800 |
| 32 | 32.000 | 360 031 078 | 78.280 |
| 36 | 36.000 | 360 031 088 | 99.070 |



**HDPE PIPE: Industry
IPS, DR19
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 24 | 24 | 360 031 016 | 39.670 |



**HDPE PIPE: Industry
IPS, DR21
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 030 608 | 2.750 |
| 8 | 8.625 | 360 030 662 | 4.660 |
| 10 | 10.750 | 360 030 716 | 7.240 |
| 12 | 12.750 | 360 030 770 | 10.190 |
| 16 | 16.000 | 360 030 848 | 16.040 |
| 18 | 18.000 | 360 030 890 | 20.300 |
| 20 | 20.000 | 360 030 932 | 25.070 |
| 24 | 24.000 | 360 031 022 | 36.100 |
| 30 | 30.000 | 360 031 068 | 56.400 |
| 32 | 32.000 | 360 031 080 | 64.170 |
| 36 | 36.000 | 360 031 090 | 81.210 |



**HDPE PIPE: Industry
IPS, DR26
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 030 614 | 2.240 |
| 18 | 18.000 | 360 030 896 | 16.570 |
| 20 | 20.000 | 360 030 938 | 20.450 |
| 22 | 22.000 | 360 030 980 | 24.750 |
| 24 | 24.000 | 360 031 028 | 29.450 |
| 28 | 28.000 | 360 031 056 | 40.090 |
| 30 | 30.000 | 360 031 070 | 46.020 |
| 32 | 32.000 | 360 031 082 | 52.360 |
| 36 | 36.000 | 360 031 092 | 66.270 |



**HDPE PIPE: Industry
IPS, DR32.5
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 030 620 | 1.810 |
| 10 | 10.750 | 360 030 728 | 4.770 |
| 16 | 16.000 | 360 030 860 | 10.560 |
| 24 | 24.000 | 360 031 034 | 23.760 |
| 26 | 26.000 | 360 031 046 | 27.890 |
| 30 | 30.000 | 360 031 072 | 37.130 |
| 32 | 32.000 | 360 031 084 | 42.240 |
| 36 | 36.000 | 360 031 094 | 53.460 |

DIPS - 50' Long



**HDPE PIPE: Industry
DIPS, DR17
Gray Pipe, No Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D3035
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.800 | 360 031 971 | 1.760 |
| 8 | 9.050 | 360 031 140 | 6.260 |
| 10 | 11.100 | 360 031 156 | 9.420 |
| 12 | 13.200 | 360 031 168 | 13.320 |
| 16 | 17.400 | 360 031 200 | 23.140 |



**HDPE PIPE: Industry
DIPS, DR19
Gray Pipe, No Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D3035
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 8 | 9.050 | 360 031 148 | 5.640 |
| 10 | 11.100 | 360 031 160 | 8.490 |
| 12 | 13.200 | 360 031 172 | 12.000 |
| 16 | 17.400 | 360 031 204 | 20.850 |



**HDPE PIPE: Industry
DIPS, DR7
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.900 | 360 030 023 | 8.000 |
| 8 | 9.050 | 360 030 065 | 13.760 |
| 10 | 11.100 | 360 030 101 | 20.700 |
| 12 | 13.200 | 360 030 143 | 29.270 |
| 14 | 15.300 | 360 030 179 | 39.330 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 16 | 17.100 | 360 030 227 | 50.870 |
| 18 | 19.500 | 360 030 269 | 63.890 |
| 20 | 21.600 | 360 030 311 | 78.390 |
| 24 | 25.800 | 360 030 353 | 111.830 |



**HDPE PIPE: Industry
DIPS, DR9
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 029 | 6.470 |
| 8 | 9.050 | 360 030 071 | 11.130 |
| 10 | 11.100 | 360 030 107 | 16.740 |
| 12 | 13.200 | 360 030 149 | 23.670 |
| 14 | 15.300 | 360 030 185 | 31.800 |
| 16 | 17.400 | 360 030 233 | 41.130 |
| 18 | 19.500 | 360 030 275 | 51.660 |
| 20 | 21.600 | 360 030 317 | 63.380 |
| 24 | 25.800 | 360 030 359 | 90.430 |
| 30 | 32.000 | 360 030 395 | 139.120 |



**HDPE PIPE: Industry
DIPS, DR11
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 035 | 5.420 |
| 8 | 9.050 | 360 030 077 | 9.320 |
| 10 | 11.100 | 360 030 113 | 14.030 |
| 12 | 13.200 | 360 030 155 | 19.840 |
| 14 | 15.300 | 360 030 191 | 26.650 |
| 16 | 17.400 | 360 030 239 | 34.470 |
| 18 | 19.500 | 360 030 281 | 43.290 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 20 | 21.600 | 360 030 323 | 53.120 |
| 24 | 25.800 | 360 030 365 | 75.780 |
| 30 | 32.000 | 360 030 401 | 116.580 |
| 36 | 38.300 | 360 030 437 | 167.010 |



**HDPE PIPE: Industry
DIPS, DR13.5
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 041 | 4.500 |
| 12 | 13.200 | 360 030 161 | 16.480 |
| 14 | 15.300 | 360 030 197 | 22.150 |
| 16 | 17.400 | 360 030 245 | 28.640 |
| 20 | 21.600 | 360 030 329 | 44.140 |
| 36 | 38.300 | 360 030 443 | 138.770 |



**HDPE PIPE: Industry
DIPS, DR14.3
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 15.300 | 360 030 203 | 21.010 |



**HDPE PIPE: Industry
DIPS, DR17
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 047 | 3.640 |
| 8 | 9.050 | 360 030 089 | 6.260 |
| 10 | 11.100 | 360 030 125 | 9.420 |
| 12 | 13.200 | 360 030 167 | 13.320 |
| 14 | 15.300 | 360 030 209 | 17.890 |
| 16 | 17.400 | 360 030 251 | 23.140 |
| 18 | 19.500 | 360 030 293 | 29.070 |
| 20 | 21.600 | 360 030 335 | 35.660 |
| 24 | 25.800 | 360 030 377 | 50.880 |
| 30 | 32.000 | 360 030 413 | 78.280 |
| 36 | 38.300 | 360 030 449 | 112.130 |



**HDPE PIPE: Industry
DIPS, DR19
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 053 | 3.280 |



**HDPE PIPE: Industry
DIPS, DR21
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other options available upon request.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 059 | 2.980 |
| 12 | 13.200 | 360 030 173 | 10.920 |
| 20 | 21.600 | 360 030 341 | 29.240 |
| 30 | 32.000 | 360 030 419 | 64.170 |



**HDPE PIPE: Industry
DIPS, DR26
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 15.300 | 360 030 211 | 11.970 |
| 30 | 32.000 | 360 030 425 | 52.360 |
| 36 | 38.300 | 360 030 461 | 75.000 |

IPS - 40' Long



**HDPE PIPE: Industry
IPS, DR11
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D3035
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 8 | 8.625 | 360 031 246 | 8.470 |
| 16 | 16.000 | 360 031 310 | 29.150 |



**HDPE PIPE: Industry
IPS, DR17
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D3035
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 4 | 4.500 | 360 031 226 | 1.550 |
| 6 | 6.625 | 360 031 234 | 3.360 |
| 8 | 8.625 | 360 031 250 | 5.690 |
| 10 | 10.750 | 360 031 266 | 8.830 |
| 12 | 10.750 | 360 031 282 | 12.430 |
| 14 | 14.000 | 360 031 298 | 14.980 |
| 16 | 16.000 | 360 031 314 | 19.570 |
| 18 | 18.000 | 360 031 330 | 24.770 |
| 22 | 22.000 | 360 032 003 | 37.000 |
| 24 | 24.000 | 360 031 346 | 44.030 |



**HDPE PIPE: Industry
IPS, DR19
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D3035
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 6 | 6.625 | 360 031 238 | 3.020 |
| 8 | 8.625 | 360 031 254 | 5.120 |
| 10 | 10.750 | 360 031 270 | 7.960 |
| 12 | 12.750 | 360 031 286 | 11.200 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 14.000 | 360 031 302 | 13.500 |
| 16 | 16.000 | 360 031 318 | 17.630 |
| 18 | 18.000 | 360 031 334 | 22.320 |
| 22 | 22.000 | 360 032 004 | 33.340 |



**HDPE PIPE: Industry
IPS, DR21
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM D3035
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 8 | 8.625 | 360 031 258 | 4.660 |
| 12 | 12.750 | 360 031 290 | 10.190 |



**HDPE PIPE: Industry
IPS, DR7
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 506 | 0.950 |
| 3 | 3.500 | 360 030 524 | 2.060 |
| 4 | 4.600 | 360 030 545 | 3.400 |
| 6 | 6.625 | 360 030 571 | 7.370 |
| 8 | 8.625 | 360 030 625 | 12.500 |
| 10 | 10.750 | 360 030 679 | 19.420 |
| 12 | 12.750 | 360 030 733 | 27.310 |
| 14 | 14.000 | 360 030 787 | 32.930 |
| 16 | 16.000 | 360 030 811 | 43.010 |
| 18 | 18.000 | 360 030 865 | 54.430 |
| 20 | 18.000 | 360 030 907 | 67.200 |
| 22 | 22.000 | 360 030 949 | 81.320 |
| 24 | 24.000 | 360 030 991 | 96.770 |



**HDPE PIPE: Industry
IPS, DR9
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 509 | 0.770 |
| 3 | 3.600 | 360 030 527 | 1.660 |
| 4 | 4.600 | 360 030 548 | 2.750 |
| 6 | 6.625 | 360 030 577 | 5.960 |
| 8 | 8.625 | 360 030 631 | 10.110 |
| 10 | 10.750 | 360 030 685 | 15.700 |
| 12 | 12.750 | 360 030 739 | 22.080 |
| 14 | 14.000 | 360 030 793 | 26.630 |
| 16 | 16.000 | 360 030 817 | 34.780 |
| 18 | 18.000 | 360 030 871 | 44.020 |
| 20 | 20.000 | 360 030 913 | 54.340 |
| 22 | 22.000 | 360 030 955 | 65.750 |
| 24 | 24.000 | 360 030 997 | 78.250 |
| 26 | 26.000 | 360 031 035 | 91.840 |
| 28 | 28.000 | 360 031 047 | 106.510 |
| 30 | 30.000 | 360 031 059 | 122.270 |
| 32 | 32.000 | 360 031 073 | 139.120 |



**HDPE PIPE: Industry
IPS, DR11
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 512 | 0.640 |
| 3 | 3.500 | 360 030 530 | 1.390 |
| 4 | 4.500 | 360 030 551 | 2.310 |
| 6 | 6.625 | 360 030 583 | 5.000 |
| 8 | 8.625 | 360 030 637 | 8.470 |
| 10 | 10.750 | 360 030 691 | 13.160 |
| 12 | 12.750 | 360 030 745 | 18.510 |
| 14 | 14.000 | 360 030 799 | 22.320 |
| 16 | 16.000 | 360 030 823 | 29.150 |
| 18 | 18.000 | 360 030 877 | 36.890 |
| 20 | 20.000 | 360 030 919 | 45.540 |
| 22 | 22.000 | 360 030 961 | 55.100 |
| 24 | 24.000 | 360 031 003 | 65.580 |
| 26 | 26.000 | 360 031 037 | 76.960 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 28 | 28.000 | 360 031 049 | 89.260 |
| 30 | 30.000 | 360 031 061 | 102.470 |
| 32 | 32.000 | 360 031 075 | 116.580 |
| 36 | 36.000 | 360 031 085 | 147.550 |



**HDPE PIPE: Industry
IPS, DR13.5
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 515 | 0.530 |
| 3 | 3.500 | 360 030 533 | 1.160 |
| 4 | 4.500 | 360 030 554 | 1.920 |
| 6 | 6.675 | 360 030 589 | 4.150 |
| 8 | 8.675 | 360 030 643 | 7.040 |
| 10 | 10.750 | 360 030 697 | 10.930 |
| 12 | 12.750 | 360 030 751 | 15.380 |
| 16 | 16.000 | 360 030 829 | 24.220 |



**HDPE PIPE: Industry
IPS, DR15.5
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.500 | 360 030 556 | 1.920 |
| 10 | 10.750 | 360 030 703 | 9.630 |



**HDPE PIPE: Industry
IPS, DR17
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 518 | 0.430 |
| 3 | 3.500 | 360 030 539 | 0.940 |
| 4 | 4.500 | 360 030 560 | 1.550 |
| 6 | 6.625 | 360 030 601 | 3.360 |
| 8 | 8.625 | 360 030 655 | 5.690 |
| 10 | 10.750 | 360 030 709 | 8.830 |
| 12 | 12.750 | 360 030 763 | 12.430 |
| 14 | 14.000 | 360 030 805 | 14.980 |
| 16 | 16.000 | 360 030 841 | 19.570 |
| 18 | 18.000 | 360 030 883 | 24.770 |
| 20 | 20.000 | 360 030 925 | 30.580 |
| 22 | 22.000 | 360 030 967 | 37.000 |
| 24 | 24.000 | 360 031 009 | 44.030 |
| 26 | 26.000 | 360 031 039 | 51.670 |
| 28 | 28.000 | 360 031 051 | 59.930 |
| 30 | 30.000 | 360 031 063 | 68.800 |
| 32 | 32.000 | 360 031 077 | 78.280 |
| 36 | 36.000 | 360 031 087 | 99.070 |



**HDPE PIPE: Industry
IPS, DR19
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 24 | 24.000 | 360 031 015 | 39.670 |



**HDPE PIPE: Industry
IPS, DR21
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 521 | 0.350 |
| 3 | 3.500 | 360 030 542 | 0.770 |
| 4 | 4.500 | 360 030 563 | 1.270 |
| 6 | 6.625 | 360 030 607 | 2.750 |
| 8 | 8.625 | 360 030 661 | 4.660 |
| 10 | 10.750 | 360 030 715 | 7.240 |
| 12 | 12.750 | 360 030 769 | 10.190 |
| 16 | 16.000 | 360 030 847 | 16.040 |
| 18 | 18.000 | 360 030 889 | 20.030 |
| 20 | 20.000 | 360 030 931 | 25.070 |
| 24 | 24.000 | 360 031 021 | 36.100 |
| 30 | 30.000 | 360 031 067 | 56.400 |
| 32 | 32.000 | 360 031 079 | 64.170 |
| 36 | 36.000 | 360 031 089 | 81.210 |



**HDPE PIPE: Industry
IPS, DR26
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.500 | 360 030 566 | 1.040 |
| 6 | 6.625 | 360 030 613 | 2.240 |
| 12 | 12.750 | 360 030 775 | 8.310 |
| 18 | 18.000 | 360 030 895 | 16.570 |
| 20 | 20.000 | 360 030 937 | 20.450 |
| 22 | 22.000 | 360 030 979 | 24.750 |
| 24 | 24.000 | 360 031 027 | 29.450 |
| 30 | 30.000 | 360 031 069 | 46.020 |
| 32 | 32.000 | 360 031 081 | 52.360 |
| 36 | 36.000 | 360 031 091 | 66.270 |



**HDPE PIPE: Industry
IPS, DR32.5
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 10 | 10.750 | 360 030 727 | 4.770 |
| 16 | 16.000 | 360 030 859 | 10.560 |
| 24 | 24.000 | 360 031 033 | 23.760 |
| 26 | 26.000 | 360 031 045 | 27.890 |
| 30 | 30.000 | 360 031 071 | 37.130 |
| 32 | 32.000 | 360 031 083 | 42.240 |
| 36 | 36.000 | 360 031 093 | 53.460 |

DIPS - 40' Long



**HDPE PIPE: Industry
DIPS, DR17
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 8 | 9.050 | 360 031 139 | 6.260 |
| 10 | 11.100 | 360 031 155 | 9.420 |
| 12 | 13.200 | 360 031 167 | 13.320 |
| 16 | 17.400 | 360 031 199 | 23.140 |
| 18 | 19.500 | 360 031 858 | 29.070 |



**HDPE PIPE: Industry
DIPS, DR19
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 8 | 9.050 | 360 031 147 | 5.640 |
| 10 | 11.100 | 360 031 159 | 8.490 |
| 12 | 13.200 | 360 031 171 | 12.000 |
| 16 | 17.400 | 360 031 203 | 20.850 |
| 20 | 21.600 | 360 031 781 | 32.130 |



**HDPE PIPE: Industry
DIPS, DR21
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 8 | 9.050 | 360 031 151 | 5.130 |
| 10 | 11.100 | 360 031 163 | 7.720 |
| 12 | 13.200 | 360 031 175 | 10.920 |
| 14 | 15.300 | 360 031 191 | 14.670 |
| 16 | 17.400 | 360 031 207 | 18.970 |
| 18 | 19.500 | 360 031 223 | 23.830 |



**HDPE PIPE: Industry
DIPS, DR26,
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 12 | 13.200 | 360 032 149 | 8.910 |



**HDPE PIPE: Industry
DIPS, DR7
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.800 | 360 030 002 | 3.870 |
| 6 | 6.900 | 360 030 022 | 8.000 |
| 8 | 9.050 | 360 030 064 | 13.760 |
| 10 | 11.100 | 360 030 100 | 20.700 |
| 12 | 13.200 | 360 030 142 | 29.270 |
| 14 | 15.300 | 360 030 178 | 39.330 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 16 | 17.400 | 360 030 226 | 50.870 |
| 18 | 19.500 | 360 030 268 | 63.890 |
| 20 | 21.600 | 360 030 310 | 78.390 |
| 24 | 25.800 | 360 030 352 | 111.830 |



**HDPE PIPE: Industry
DIPS, DR9
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.800 | 360 030 005 | 3.130 |
| 6 | 6.900 | 360 030 028 | 6.470 |
| 8 | 9.050 | 360 030 070 | 11.130 |
| 10 | 11.100 | 360 030 106 | 16.740 |
| 12 | 13.200 | 360 030 148 | 23.670 |
| 14 | 15.300 | 360 030 184 | 31.800 |
| 16 | 17.400 | 360 030 232 | 41.130 |
| 18 | 19.500 | 360 030 274 | 51.660 |
| 20 | 21.600 | 360 030 316 | 63.380 |
| 24 | 25.800 | 360 030 358 | 90.430 |
| 30 | 32.000 | 360 030 394 | 139.120 |



**HDPE PIPE: Industry
DIPS, DR11
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.800 | 360 030 008 | 2.620 |
| 6 | 6.900 | 360 030 034 | 5.420 |
| 8 | 9.050 | 360 030 076 | 9.320 |
| 10 | 11.100 | 360 030 112 | 14.030 |
| 12 | 13.200 | 360 030 154 | 19.840 |
| 14 | 15.300 | 360 030 190 | 26.650 |
| 16 | 17.400 | 360 030 238 | 34.470 |
| 18 | 19.500 | 360 030 280 | 43.290 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 20 | 21.600 | 360 030 322 | 53.120 |
| 24 | 25.800 | 360 030 364 | 75.780 |
| 30 | 32.000 | 360 030 400 | 116.580 |
| 36 | 38.300 | 360 030 436 | 138.770 |



**HDPE PIPE: Industry
DIPS, DR13.5
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.800 | 360 030 011 | 2.180 |
| 6 | 6.900 | 360 030 040 | 4.500 |
| 8 | 9.050 | 360 030 082 | 7.750 |
| 10 | 11.100 | 360 030 118 | 11.660 |
| 12 | 13.200 | 360 030 160 | 16.480 |
| 14 | 15.300 | 360 030 196 | 22.150 |
| 16 | 17.400 | 360 030 244 | 28.640 |
| 18 | 19.500 | 360 030 286 | 35.970 |
| 20 | 21.600 | 360 030 328 | 44.140 |
| 24 | 25.800 | 360 030 370 | 62.970 |
| 30 | 32.000 | 360 030 406 | 96.870 |
| 36 | 38.300 | 360 030 442 | 138.770 |



**HDPE PIPE: Industry
DIPS, DR14.3
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 15.300 | 360 030 202 | 21.010 |



**HDPE PIPE: Industry
DIPS, DR17
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.800 | 360 030 014 | 1.760 |
| 6 | 6.900 | 360 030 046 | 3.640 |
| 8 | 9.050 | 360 030 088 | 6.260 |
| 10 | 11.100 | 360 030 124 | 9.420 |
| 12 | 13.200 | 360 030 166 | 13.320 |
| 14 | 15.300 | 360 030 208 | 17.890 |
| 16 | 17.400 | 360 030 250 | 23.140 |
| 18 | 19.500 | 360 030 292 | 29.070 |
| 20 | 21.600 | 360 030 334 | 35.660 |
| 24 | 25.800 | 360 030 376 | 50.880 |
| 30 | 32.000 | 360 030 412 | 78.280 |
| 36 | 38.300 | 360 030 448 | 112.130 |



**HDPE PIPE: Industry
DIPS, DR19
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 052 | 3.280 |



**HDPE PIPE: Industry
DIPS, DR21
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.800 | 360 030 017 | 1.440 |
| 6 | 6.900 | 360 030 058 | 2.980 |
| 8 | 9.050 | 360 030 094 | 5.130 |
| 10 | 11.100 | 360 030 130 | 7.720 |
| 12 | 13.200 | 360 030 172 | 10.920 |
| 14 | 15.300 | 360 030 214 | 14.670 |
| 16 | 17.400 | 360 030 256 | 18.970 |
| 18 | 19.500 | 360 030 298 | 23.830 |
| 20 | 21.600 | 360 030 340 | 29.240 |
| 24 | 25.800 | 360 030 382 | 41.710 |
| 30 | 32.000 | 360 030 418 | 64.170 |
| 36 | 38.300 | 360 030 454 | 91.920 |
| 42 | 44.500 | 360 030 472 | 124.090 |
| 48 | 50.800 | 360 030 490 | 161.720 |



**HDPE PIPE: Industry
DIPS, DR26
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 15.300 | 360 030 220 | 11.970 |
| 16 | 17.400 | 360 030 262 | 15.480 |
| 18 | 19.500 | 360 030 304 | 19.440 |
| 20 | 21.600 | 360 030 346 | 23.860 |
| 24 | 25.800 | 360 030 388 | 34.040 |
| 30 | 32.000 | 360 030 424 | 52.360 |
| 36 | 38.300 | 360 030 460 | 75.000 |
| 42 | 44.500 | 360 030 478 | 101.250 |
| 48 | 50.800 | 360 030 496 | 131.950 |



**HDPE PIPE: Industry
DIPS, DR32.5
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------------|--------------|--------------------|----------------|
| 10 | 11.100 | 360 030 136 | 5.080 |
| 30 | 32.000 | 360 030 430 | 42.240 |
| 36 | 38.300 | 360 030 466 | 60.510 |
| 42 | 44.500 | 360 030 484 | 81.690 |
| 48 | 50.800 | 360 030 502 | 106.460 |

IPS - 50' Long



HDPE PIPE: Fire Protection (FM)
IPS, DR7, Class 267
Black Pipe, Red Stripe, 50' Long

- Black pipe, red stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 8 | 8.625 | 360 031 629 | 10.000 |
| 10 | 10.750 | 360 031 641 | 15.536 |
| 12 | 12.750 | 360 031 653 | 21.848 |
| 14 | 14.000 | 360 031 665 | 26.344 |
| 16 | 16.000 | 360 031 677 | 34.408 |
| 18 | 18.000 | 360 031 689 | 43.544 |
| 20 | 20.000 | 360 031 701 | 53.760 |
| 22 | 22.000 | 360 031 713 | 65.056 |
| 24 | 24.000 | 360 031 725 | 77.416 |



HDPE PIPE: Fire Protection (FM)
IPS, DR7, Class 267
Black Pipe, 50' Long

- Black pipe, no stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 6 | 6.625 | 360 031 619 | 7.370 |
| 8 | 8.625 | 360 031 631 | 12.500 |
| 10 | 10.750 | 360 031 643 | 19.420 |
| 12 | 12.750 | 360 031 655 | 27.310 |
| 14 | 14.000 | 360 031 667 | 32.930 |
| 16 | 16.000 | 360 031 679 | 43.010 |
| 18 | 18.000 | 360 031 691 | 54.430 |
| 20 | 20.000 | 360 031 703 | 67.200 |
| 22 | 22.000 | 360 031 715 | 81.320 |
| 24 | 24.000 | 360 031 727 | 96.770 |



HDPE PIPE: Fire Protection (FM)
IPS, DR9, Class 200
Black Pipe, Red Stripe, 50' Long

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 031 621 | 5.960 |
| 8 | 8.625 | 360 031 633 | 10.110 |
| 10 | 10.750 | 360 031 645 | 15.700 |
| 12 | 12.750 | 360 031 657 | 22.080 |
| 14 | 14.000 | 360 031 669 | 26.630 |
| 16 | 16.000 | 360 031 681 | 34.780 |
| 18 | 18.000 | 360 031 693 | 44.020 |
| 20 | 20.000 | 360 031 705 | 54.340 |
| 22 | 22.000 | 360 031 717 | 65.750 |
| 24 | 24.000 | 360 031 729 | 78.250 |



HDPE PIPE: Fire Protection (FM)
IPS, DR9, Class 200
Black Pipe, 50' Long

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 031 623 | 4.768 |
| 8 | 8.625 | 360 031 635 | 8.088 |
| 10 | 10.750 | 360 031 647 | 12.560 |
| 12 | 12.750 | 360 031 659 | 17.664 |
| 14 | 14.000 | 360 031 671 | 21.304 |
| 16 | 16.000 | 360 031 683 | 27.824 |
| 18 | 18.000 | 360 031 695 | 35.216 |
| 20 | 20.000 | 360 031 707 | 43.472 |
| 22 | 22.000 | 360 031 719 | 52.600 |
| 24 | 24.000 | 360 031 731 | 62.600 |



HDPE PIPE: Fire Protection (FM)
IPS, DR11, Class 150
Black Pipe, Red Stripe, 50' Long

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****



| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 031 625 | 250.000 |
| 8 | 8.625 | 360 031 637 | 423.500 |
| 10 | 10.750 | 360 031 649 | 658.000 |
| 12 | 12.750 | 360 031 661 | 925.500 |
| 14 | 14.000 | 360 031 673 | 1116.000 |
| 16 | 16.000 | 360 031 685 | 1457.500 |
| 18 | 18.000 | 360 031 697 | 1844.500 |
| 20 | 20.000 | 360 031 709 | 2277.000 |
| 22 | 22.000 | 360 031 721 | 2755.000 |
| 24 | 24.000 | 360 031 733 | 3279.000 |



HDPE PIPE: Fire Protection (FM)
IPS, DR11, Class 150
Black Pipe, 50' Long

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****



| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 031 627 | 4.000 |
| 8 | 8.625 | 360 031 639 | 6.776 |
| 10 | 10.750 | 360 031 651 | 10.528 |
| 12 | 12.750 | 360 031 663 | 14.808 |
| 14 | 14.000 | 360 031 675 | 17.856 |
| 16 | 16.000 | 360 031 687 | 23.320 |
| 18 | 18.000 | 360 031 699 | 29.512 |
| 20 | 20.000 | 360 031 711 | 36.432 |
| 22 | 22.000 | 360 031 723 | 44.080 |
| 24 | 24.000 | 360 031 735 | 52.464 |

DIPS - 50' Long



**HDPE PIPE: Fire Protection (FM)
DIPS, DR9, Class 200
Black Pipe, Red Stripe, 50' Long**

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 20 | 21.600 | 360 031 583 | 63.380 |
| 24 | 25.800 | 360 031 591 | 90.430 |



**HDPE PIPE: Fire Protection (FM)
DIPS, DR9, Class 200
Black Pipe, 50' Long**

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.900 | 360 031 529 | 6.470 |
| 8 | 9.050 | 360 031 537 | 11.130 |
| 10 | 11.100 | 360 031 545 | 16.740 |
| 12 | 13.200 | 360 031 553 | 23.670 |
| 14 | 15.300 | 360 031 561 | 31.800 |
| 16 | 17.400 | 360 031 569 | 41.130 |
| 18 | 19.500 | 360 031 577 | 51.660 |
| 20 | 21.600 | 360 031 585 | 63.380 |
| 24 | 25.800 | 360 031 593 | 90.430 |



**HDPE PIPE: Fire Protection (FM)
DIPS, DR11, Class 200
Black Pipe, Red Stripe, 50' Long**

- Black pipe, red stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.900 | 360 031 531 | 5.420 |
| 8 | 9.050 | 360 031 539 | 9.320 |
| 10 | 11.100 | 360 031 547 | 14.030 |
| 12 | 13.200 | 360 031 555 | 19.840 |
| 14 | 15.300 | 360 031 563 | 26.650 |
| 16 | 17.400 | 360 031 571 | 34.470 |
| 18 | 19.500 | 360 031 579 | 43.290 |
| 20 | 21.600 | 360 031 587 | 53.120 |
| 24 | 25.800 | 360 031 595 | 75.780 |



**HDPE PIPE: Fire Protection (FM)
DIPS, DR11, Class 200
Black Pipe, 50' Long**

- Black pipe, no stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.900 | 360 031 533 | 5.420 |
| 8 | 9.050 | 360 031 541 | 9.320 |
| 10 | 11.100 | 360 031 549 | 14.030 |
| 12 | 13.200 | 360 031 557 | 19.840 |
| 14 | 15.300 | 360 031 565 | 26.650 |
| 16 | 17.400 | 360 031 573 | 34.470 |
| 18 | 19.500 | 360 031 581 | 43.290 |
| 20 | 21.600 | 360 031 589 | 53.120 |
| 24 | 25.800 | 360 031 597 | 75.780 |

IPS - 40' Long



HDPE PIPE: Fire Protection (FM)
IPS, DR7, Class 267
Black Pipe, Red Stripe, 40' Long

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 2 | 2.375 | 360 031 598 | 0.950 |
| 3 | 3.500 | 360 031 604 | 2.060 |
| 4 | 4.500 | 360 031 610 | 3.400 |
| 6 | 6.625 | 360 031 616 | 7.370 |
| 8 | 8.625 | 360 031 628 | 12.500 |
| 10 | 10.750 | 360 031 640 | 19.420 |
| 12 | 12.750 | 360 031 652 | 27.310 |
| 14 | 14.000 | 360 031 664 | 32.930 |
| 16 | 16.000 | 360 031 676 | 43.010 |
| 18 | 18.000 | 360 031 688 | 54.430 |
| 20 | 20.000 | 360 031 700 | 67.200 |
| 22 | 22.000 | 360 031 712 | 81.320 |
| 24 | 24.000 | 360 031 724 | 96.770 |



HDPE Pipe: Fire Protection (FM)
IPS, DR7, Class 267
Black Pipe, 40' Long

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 2 | 2.375 | 360 031 599 | 0.950 |
| 3 | 3.500 | 360 031 605 | 2.060 |
| 4 | 4.500 | 360 031 611 | 3.400 |
| 6 | 6.625 | 360 031 618 | 7.370 |
| 8 | 8.625 | 360 031 630 | 12.500 |
| 10 | 10.750 | 360 031 642 | 19.420 |
| 12 | 12.750 | 360 031 654 | 27.310 |
| 14 | 14.000 | 360 031 666 | 32.930 |
| 16 | 16.000 | 360 031 678 | 43.010 |
| 18 | 18.000 | 360 031 690 | 54.430 |
| 20 | 20.000 | 360 031 702 | 67.200 |
| 22 | 22.000 | 360 031 714 | 81.320 |
| 24 | 24.000 | 360 031 726 | 96.770 |



HDPE PIPE: Fire Protection (FM)
IPS, DR9, Class 200
Black Pipe, Red Stripe, 40' Long

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 2 | 2.375 | 360 031 600 | 0.770 |
| 3 | 3.500 | 360 031 606 | 1.660 |
| 4 | 4.500 | 360 031 612 | 2.750 |
| 6 | 6.625 | 360 031 620 | 5.960 |
| 8 | 8.625 | 360 031 632 | 10.110 |
| 10 | 10.750 | 360 031 644 | 15.700 |
| 12 | 12.750 | 360 031 656 | 22.080 |
| 14 | 14.000 | 360 031 668 | 26.630 |
| 16 | 16.000 | 360 031 680 | 34.780 |
| 18 | 18.000 | 360 031 692 | 44.020 |
| 20 | 20.000 | 360 031 704 | 54.340 |
| 22 | 22.000 | 360 031 716 | 65.750 |
| 24 | 24.000 | 360 031 728 | 78.250 |



HDPE PIPE: Fire Protection (FM)
IPS, DR9, Class 200
Black Pipe, 40' Long

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 2 | 2.375 | 360 031 601 | 0.770 |
| 3 | 3.500 | 360 031 607 | 1.660 |
| 4 | 4.500 | 360 031 613 | 2.750 |
| 6 | 6.625 | 360 031 622 | 5.960 |
| 8 | 8.625 | 360 031 634 | 10.110 |
| 10 | 10.750 | 360 031 646 | 15.700 |
| 12 | 12.750 | 360 031 658 | 22.080 |
| 14 | 14.000 | 360 031 670 | 26.630 |
| 16 | 16.000 | 360 031 682 | 34.780 |
| 18 | 18.000 | 360 031 694 | 44.020 |
| 20 | 20.000 | 360 031 706 | 54.340 |
| 22 | 22.000 | 360 031 718 | 65.750 |
| 24 | 24.000 | 360 031 730 | 78.250 |



HDPE PIPE: Fire Protection (FM)
IPS, DR11, Class 150
Black Pipe, Red Stripe, 40' Long

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Call for availability of other sizes and dimensions.
- Other lengths available.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 031 602 | 0.640 |
| 3 | 3.500 | 360 031 608 | 1.390 |
| 4 | 4.500 | 360 031 614 | 2.310 |
| 6 | 6.625 | 360 031 624 | 5.000 |
| 8 | 8.625 | 360 031 636 | 8.470 |
| 10 | 10.750 | 360 031 648 | 13.160 |
| 12 | 12.750 | 360 031 660 | 18.510 |
| 14 | 14.000 | 360 031 672 | 22.320 |
| 16 | 16.000 | 360 031 684 | 29.150 |
| 18 | 18.000 | 360 031 696 | 36.890 |
| 20 | 20.000 | 360 031 708 | 45.540 |
| 22 | 22.000 | 360 031 720 | 55.100 |
| 24 | 24.000 | 360 031 732 | 65.580 |



HDPE PIPE: Fire Protection (FM)
IPS, DR11, Class 150
Black Pipe, 40' Long

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 031 603 | 0.640 |
| 3 | 3.500 | 360 031 609 | 1.390 |
| 4 | 4.500 | 360 031 615 | 2.310 |
| 6 | 6.625 | 360 031 626 | 5.000 |
| 8 | 8.625 | 360 031 638 | 8.470 |
| 10 | 10.750 | 360 031 650 | 13.160 |
| 12 | 12.750 | 360 031 662 | 18.510 |
| 14 | 14.000 | 360 031 674 | 22.320 |
| 16 | 16.000 | 360 031 686 | 29.150 |
| 18 | 18.000 | 360 031 698 | 36.890 |
| 20 | 20.000 | 360 031 710 | 45.540 |
| 22 | 22.000 | 360 031 722 | 55.100 |
| 24 | 24.000 | 360 031 735 | 65.580 |

DIPS - 40' Long



**HDPE PIPE: Fire Protection (FM)
DIPS, DR9, Class 200
Black Pipe, Red Stripe, 40' Long**

- Black pipe, red stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.800 | 360 031 522 | 3.130 |
| 6 | 6.900 | 360 031 526 | 6.470 |
| 8 | 9.050 | 360 031 534 | 11.130 |
| 10 | 11.100 | 360 031 542 | 16.740 |
| 12 | 13.200 | 360 031 550 | 23.670 |
| 14 | 15.300 | 360 031 558 | 31.800 |
| 16 | 17.400 | 360 031 566 | 41.130 |
| 18 | 19.500 | 360 031 574 | 51.660 |
| 24 | 25.800 | 360 031 590 | 90.430 |



**HDPE PIPE: Fire Protection (FM)
DIPS, DR9, Class 200
Black Pipe, 40' Long**

- Black pipe, no stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.800 | 360 031 523 | 3.130 |
| 6 | 6.900 | 360 031 528 | 6.470 |
| 8 | 9.050 | 360 031 536 | 11.130 |
| 10 | 11.100 | 360 031 544 | 16.740 |
| 14 | 15.300 | 360 031 560 | 31.800 |
| 16 | 17.400 | 360 031 568 | 41.130 |
| 18 | 19.500 | 360 031 576 | 51.660 |
| 20 | 21.600 | 360 031 584 | 63.380 |



HDPE PIPE: Fire Protection (FM)
DIPS, DR11, Class 150
Black Pipe, Red Stripe, 40' Long

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.800 | 360 031 524 | 2.620 |
| 6 | 6.900 | 360 031 530 | 5.420 |
| 8 | 9.050 | 360 031 538 | 9.320 |
| 10 | 11.100 | 360 031 546 | 14.030 |
| 12 | 13.200 | 360 031 554 | 19.840 |
| 14 | 15.300 | 360 031 562 | 26.650 |
| 16 | 17.400 | 360 031 570 | 34.470 |
| 18 | 19.500 | 360 031 578 | 43.290 |
| 20 | 21.600 | 360 031 586 | 53.120 |
| 24 | 25.800 | 360 031 594 | 75.780 |



HDPE PIPE: Fire Protection (FM)
DIPS, DR11, Class 150
Black Pipe, 40' Long

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. |
|--------------------------|-----------|--------------------|
| 4 | 4.800 | 360 031 525 |
| 6 | 6.900 | 360 031 532 |
| 8 | 9.050 | 360 031 540 |
| 10 | 11.100 | 360 031 548 |
| 12 | 13.200 | 360 031 556 |
| 14 | 15.300 | 360 031 564 |
| 16 | 17.400 | 360 031 572 |
| 18 | 19.500 | 360 031 580 |
| 20 | 21.600 | 360 031 588 |
| 24 | 25.800 | 360 031 596 |

IPS - 50' Long



HDPE PIPE: Potable Water Industry IPS, DR7, Black Pipe Blue Stripe, 50' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 6 | 6.625 | 360 030 570 | 7.370 |
| 8 | 8.625 | 360 030 624 | 12.500 |
| 10 | 10.750 | 360 030 678 | 19.420 |
| 12 | 12.750 | 360 030 732 | 27.310 |
| 14 | 14.000 | 360 030 786 | 32.930 |
| 16 | 16.000 | 360 030 810 | 43.010 |
| 18 | 18.000 | 360 030 854 | 54.430 |
| 20 | 20.000 | 360 030 906 | 67.200 |
| 22 | 22.000 | 360 030 948 | 81.320 |
| 24 | 24.000 | 360 030 990 | 96.770 |



HDPE PIPE: Potable Water Industry IPS, DR9, Black Pipe Blue Stripe, 50' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 6 | 6.625 | 360 030 576 | 5.960 |
| 8 | 8.625 | 360 030 630 | 10.110 |
| 10 | 10.750 | 360 030 684 | 15.700 |
| 12 | 12.750 | 360 030 738 | 22.080 |
| 14 | 14.000 | 360 030 792 | 26.630 |
| 16 | 16.000 | 360 030 816 | 34.780 |
| 18 | 18.000 | 360 030 870 | 44.020 |
| 20 | 20.000 | 360 030 912 | 54.340 |
| 22 | 22.000 | 360 030 954 | 65.750 |
| 24 | 24.000 | 360 030 996 | 78.250 |



**HDPE PIPE: Potable Water Industry
IPS, DR11, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 030 582 | 5.000 |
| 8 | 8.625 | 360 030 636 | 8.470 |
| 10 | 10.750 | 360 030 690 | 13.160 |
| 12 | 12.750 | 360 030 744 | 18.510 |
| 14 | 14.000 | 360 030 798 | 22.320 |
| 16 | 16.000 | 360 030 822 | 29.150 |
| 18 | 18.000 | 360 030 876 | 36.890 |
| 20 | 20.000 | 360 030 918 | 45.540 |
| 22 | 22.000 | 360 030 960 | 55.100 |
| 24 | 24.000 | 360 031 002 | 65.580 |



**HDPE PIPE: Potable Water Industry
IPS, DR13.5, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 030 583 | 5.000 |
| 8 | 8.625 | 360 030 642 | 7.040 |
| 10 | 10.750 | 360 030 696 | 10.930 |
| 16 | 16.000 | 360 030 828 | 24.220 |



**HDPE PIPE: Potable Water Industry
IPS, DR15.5, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 10 | 10.750 | 360 030 702 | 9.630 |



**HDPE PIPE: Potable Water Industry
IPS, DR17, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 030 600 | 3.360 |
| 8 | 8.625 | 360 030 654 | 5.690 |
| 10 | 10.750 | 360 030 708 | 8.830 |
| 12 | 12.750 | 360 030 762 | 12.430 |
| 14 | 14.000 | 360 030 804 | 14.980 |
| 16 | 16.000 | 360 030 840 | 19.570 |
| 18 | 18.000 | 360 030 882 | 24.770 |
| 20 | 20.000 | 360 030 924 | 30.580 |
| 22 | 22.000 | 360 030 966 | 37.000 |
| 24 | 24.000 | 360 031 008 | 44.030 |



**HDPE PIPE: Potable Water Industry
IPS, DR19, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 24 | 24.000 | 360 031 014 | 39.670 |





**HDPE PIPE: Potable Water Industry
IPS, DR21, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 030 606 | 2.750 |
| 8 | 8.625 | 360 030 660 | 4.660 |
| 10 | 10.750 | 360 030 714 | 7.240 |
| 12 | 12.750 | 360 030 768 | 10.190 |
| 16 | 16.000 | 360 030 846 | 16.040 |
| 18 | 18.000 | 360 030 888 | 20.300 |
| 20 | 20.000 | 360 030 930 | 25.070 |
| 24 | 24.000 | 360 031 020 | 36.100 |



**HDPE PIPE: Potable Water Industry
IPS, DR26, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 030 612 | 2.240 |
| 18 | 18.000 | 360 030 894 | 16.570 |
| 20 | 20.000 | 360 030 936 | 20.450 |
| 22 | 22.000 | 360 030 978 | 24.750 |
| 24 | 24.000 | 360 031 026 | 29.450 |



**HDPE PIPE: Potable Water Industry
IPS, DR32.5, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 030 618 | 1.810 |
| 10 | 10.750 | 360 030 726 | 4.770 |
| 16 | 16.000 | 360 030 858 | 10.560 |
| 24 | 24.000 | 360 031 032 | 23.760 |

DIPS - 50' Long



**HDPE PIPE: Potable Water Industry
DIPS, DR7, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 6 | 6.900 | 360 030 021 | 8.000 |
| 8 | 9.050 | 360 030 063 | 13.760 |
| 10 | 11.100 | 360 030 099 | 20.700 |
| 12 | 13.200 | 360 030 141 | 29.270 |
| 14 | 15.300 | 360 030 177 | 39.330 |
| 16 | 17.400 | 360 030 225 | 50.870 |
| 18 | 19.500 | 360 030 267 | 63.890 |
| 20 | 21.600 | 360 030 309 | 78.390 |
| 24 | 25.800 | 360 030 351 | 111.830 |



**HDPE PIPE: Potable Water Industry
DIPS, DR9, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 6 | 6.900 | 360 030 027 | 6.470 |
| 8 | 9.050 | 360 030 069 | 11.130 |
| 10 | 11.100 | 360 030 105 | 16.740 |
| 12 | 13.200 | 360 030 147 | 23.670 |
| 14 | 15.300 | 360 030 183 | 31.800 |
| 16 | 17.400 | 360 030 231 | 41.130 |
| 18 | 19.500 | 360 030 273 | 51.660 |
| 20 | 21.600 | 360 030 315 | 63.380 |
| 24 | 25.800 | 360 030 357 | 90.430 |
| 30 | 32.000 | 360 030 393 | 139.120 |



**HDPE PIPE: Potable Water Industry
DIPS, DR11, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 033 | 5.420 |
| 8 | 9.050 | 360 030 075 | 9.320 |
| 10 | 11.100 | 360 030 111 | 14.030 |
| 12 | 13.200 | 360 030 153 | 19.840 |
| 14 | 15.300 | 360 030 189 | 26.650 |
| 16 | 17.400 | 360 030 237 | 34.470 |
| 18 | 19.500 | 360 030 279 | 43.290 |
| 20 | 21.600 | 360 030 321 | 53.120 |
| 24 | 25.800 | 360 030 363 | 75.780 |
| 30 | 32.000 | 360 030 399 | 116.580 |
| 36 | 38.300 | 360 030 435 | 167.010 |



**HDPE PIPE: Potable Water Industry
DIPS, DR13.5, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 039 | 4.500 |
| 12 | 13.200 | 360 030 159 | 16.480 |
| 14 | 15.300 | 360 030 195 | 22.150 |
| 16 | 17.400 | 360 030 243 | 28.640 |
| 30 | 32.000 | 360 030 327 | 44.140 |
| 36 | 38.300 | 360 030 441 | 138.770 |





**HDPE PIPE: Potable Water Industry
DIPS, DR14.3, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 15.300 | 360 030 201 | 21.010 |



**HDPE PIPE: Potable Water Industry
DIPS, DR17, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 045 | 3.640 |
| 8 | 9.050 | 360 030 087 | 6.260 |
| 10 | 11.100 | 360 030 123 | 9.420 |
| 12 | 13.200 | 360 030 165 | 13.320 |
| 14 | 15.300 | 360 030 207 | 17.890 |
| 16 | 17.400 | 360 030 249 | 23.140 |
| 18 | 19.500 | 360 030 291 | 29.070 |
| 20 | 21.600 | 360 030 333 | 35.660 |
| 24 | 25.800 | 360 030 375 | 50.880 |
| 30 | 32.000 | 360 030 411 | 78.280 |
| 36 | 38.300 | 360 030 447 | 112.130 |



**HDPE PIPE: Potable Water Industry
DIPS, DR19, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 051 | 3.280 |





**HDPE PIPE: Potable Water Industry
DIPS, DR21, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 057 | 2.980 |
| 12 | 13.200 | 360 030 171 | 10.920 |
| 20 | 21.600 | 360 030 339 | 29.240 |
| 30 | 32.000 | 360 030 417 | 64.170 |
| 36 | 38.300 | 360 030 453 | 91.920 |



**HDPE PIPE: Potable Water Industry
DIPS, DR26, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 15.300 | 360 030 219 | 11.970 |
| 30 | 32.000 | 360 030 423 | 52.360 |
| 36 | 38.300 | 360 030 459 | 75.000 |



IPS - 40' Long



HDPE PIPE: Potable Water Industry IPS, DR7, Black Pipe Blue Stripe, 40' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 2 | 2.375 | 360 030 505 | 0.950 |
| 3 | 3.500 | 360 030 523 | 2.060 |
| 4 | 4.500 | 360 030 544 | 3.400 |
| 6 | 6.625 | 360 030 569 | 7.370 |
| 8 | 8.625 | 360 030 623 | 12.500 |
| 10 | 10.750 | 360 030 677 | 19.420 |
| 12 | 12.750 | 360 030 731 | 27.310 |
| 14 | 14.000 | 360 030 785 | 32.930 |
| 16 | 16.000 | 360 030 809 | 43.010 |
| 18 | 18.000 | 360 030 863 | 54.430 |
| 20 | 20.000 | 360 030 905 | 67.200 |
| 22 | 22.000 | 360 030 947 | 81.320 |
| 24 | 24.000 | 360 030 989 | 96.770 |



HDPE PIPE: Potable Water Industry IPS, DR9, Black Pipe Blue Stripe, 40' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 2 | 2.375 | 360 030 508 | 0.770 |
| 3 | 3.500 | 360 030 526 | 1.660 |
| 4 | 4.500 | 360 030 547 | 2.750 |
| 6 | 6.625 | 360 030 575 | 5.960 |
| 8 | 8.625 | 360 030 629 | 10.110 |
| 10 | 10.750 | 360 030 683 | 15.700 |
| 12 | 12.750 | 360 030 737 | 22.080 |
| 14 | 14.000 | 360 030 791 | 26.630 |
| 16 | 16.000 | 360 030 815 | 34.780 |
| 18 | 18.000 | 360 030 869 | 44.020 |
| 20 | 20.000 | 360 030 911 | 54.340 |
| 22 | 22.000 | 360 030 953 | 65.750 |
| 24 | 24.000 | 360 030 995 | 78.250 |



**HDPE PIPE: Potable Water Industry
IPS, DR11, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 511 | 0.640 |
| 3 | 3.500 | 360 030 529 | 1.390 |
| 4 | 4.500 | 360 030 550 | 2.310 |
| 6 | 6.625 | 360 030 581 | 5.000 |
| 8 | 8.625 | 360 030 635 | 8.470 |
| 10 | 10.750 | 360 030 689 | 13.160 |
| 12 | 12.750 | 360 030 743 | 18.510 |
| 14 | 14.000 | 360 030 797 | 22.320 |
| 16 | 16.000 | 360 030 821 | 29.150 |
| 18 | 18.000 | 360 030 875 | 36.890 |
| 20 | 20.000 | 360 030 917 | 45.540 |
| 22 | 22.000 | 360 030 959 | 55.100 |
| 24 | 24.000 | 360 031 001 | 65.580 |



**HDPE PIPE: Potable Water Industry
IPS, DR13.5, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 514 | 0.530 |
| 3 | 3.500 | 360 030 532 | 1.160 |
| 4 | 4.500 | 360 030 553 | 1.920 |
| 6 | 6.625 | 360 030 587 | 4.150 |
| 8 | 8.625 | 360 030 641 | 7.040 |
| 10 | 10.750 | 360 030 695 | 10.930 |
| 16 | 16.000 | 360 030 827 | 24.220 |



**HDPE PIPE: Potable Water Industry
IPS, DR15.5, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 10 | 10.750 | 360 030 701 | 0.430 |



**HDPE PIPE: Potable Water Industry
IPS, DR17, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 517 | 0.430 |
| 3 | 3.500 | 360 030 538 | 0.940 |
| 4 | 4.500 | 360 030 559 | 1.550 |
| 6 | 6.625 | 360 030 599 | 3.360 |
| 8 | 8.625 | 360 030 653 | 5.690 |
| 10 | 10.750 | 360 030 707 | 8.830 |
| 12 | 12.750 | 360 030 761 | 12.430 |
| 14 | 14.000 | 360 030 803 | 14.980 |
| 16 | 16.000 | 360 030 839 | 19.570 |
| 18 | 18.000 | 360 030 881 | 24.770 |
| 20 | 20.000 | 360 030 923 | 30.580 |
| 22 | 22.000 | 360 030 965 | 37.000 |
| 24 | 24.000 | 360 031 007 | 44.030 |



**HDPE PIPE: Potable Water Industry
IPS, DR19, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 24 | 24.000 | 360 031 013 | 39.67 |



**HDPE PIPE: Potable Water Industry
IPS, DR21, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 520 | 0.350 |
| 3 | 3.500 | 360 030 541 | 0.770 |
| 4 | 4.500 | 360 030 562 | 1.270 |
| 6 | 6.625 | 360 030 605 | 2.750 |
| 8 | 8.625 | 360 030 659 | 4.660 |
| 10 | 10.750 | 360 030 713 | 7.240 |
| 12 | 12.750 | 360 030 767 | 10.190 |
| 16 | 16.000 | 360 030 845 | 16.040 |
| 18 | 18.000 | 360 030 887 | 20.300 |
| 20 | 20.000 | 360 030 929 | 25.070 |
| 24 | 24.000 | 360 031 019 | 36.100 |





**HDPE PIPE: Potable Water Industry
IPS, DR26, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.500 | 360 030 565 | 1.040 |
| 6 | 6.625 | 360 030 611 | 2.240 |
| 18 | 18.000 | 360 030 893 | 16.570 |
| 20 | 20.000 | 360 030 935 | 20.450 |
| 22 | 22.000 | 360 030 977 | 24.750 |
| 26 | 26.000 | 360 031 025 | 29.450 |



**HDPE PIPE: Potable Water Industry
IPS, DR32.5, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 030 617 | 1.810 |
| 10 | 10.750 | 360 030 725 | 4.770 |
| 16 | 16.000 | 360 030 857 | 10.560 |
| 24 | 24.000 | 360 031 031 | 23.760 |

DIPS, 40' Long



HDPE PIPE: Potable Water Industry DIPS, DR7, Black Pipe Blue Stripe, 40' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 4 | 4.800 | 360 030 001 | 3.870 |
| 6 | 6.900 | 360 030 020 | 8.000 |
| 8 | 9.050 | 360 030 062 | 13.760 |
| 10 | 11.100 | 360 030 098 | 20.700 |
| 12 | 13.200 | 360 030 140 | 29.270 |
| 14 | 15.300 | 360 030 176 | 39.330 |
| 16 | 17.400 | 360 030 224 | 50.870 |
| 18 | 19.500 | 360 030 266 | 63.890 |
| 20 | 21.600 | 360 030 308 | 78.390 |
| 24 | 25.800 | 360 030 350 | 111.830 |



HDPE PIPE: Potable Water Industry DIPS, DR9, Black Pipe Blue Stripe, 40' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 4 | 4.800 | 360 030 004 | 3.130 |
| 6 | 6.900 | 360 030 026 | 6.470 |
| 8 | 9.050 | 360 030 068 | 11.130 |
| 10 | 11.100 | 360 030 104 | 16.740 |
| 12 | 13.200 | 360 030 146 | 23.670 |
| 14 | 15.300 | 360 030 182 | 31.800 |
| 16 | 17.400 | 360 030 230 | 41.130 |
| 18 | 19.500 | 360 030 272 | 51.660 |
| 20 | 21.600 | 360 030 314 | 63.380 |
| 24 | 25.800 | 360 030 356 | 90.430 |
| 30 | 32.000 | 360 030 392 | 139.120 |



**HDPE PIPE: Potable Water Industry
DIPS, DR11, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.800 | 360 030 007 | 2.620 |
| 6 | 6.900 | 360 030 032 | 5.420 |
| 8 | 9.050 | 360 030 074 | 9.320 |
| 10 | 11.100 | 360 030 110 | 14.030 |
| 12 | 13.200 | 360 030 152 | 19.840 |
| 14 | 15.300 | 360 030 188 | 26.650 |
| 16 | 17.400 | 360 030 236 | 34.470 |
| 18 | 19.500 | 360 030 278 | 43.290 |
| 20 | 21.600 | 360 030 320 | 53.120 |
| 24 | 25.800 | 360 030 362 | 75.780 |
| 30 | 32.000 | 360 030 398 | 116.580 |
| 36 | 38.300 | 360 030 434 | 167.010 |



**HDPE PIPE: Potable Water Industry
DIPS, DR13.5, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.800 | 360 030 010 | 2.180 |
| 6 | 6.900 | 360 030 038 | 4.500 |
| 8 | 9.050 | 360 030 080 | 7.750 |
| 10 | 11.100 | 360 030 116 | 11.660 |
| 12 | 13.200 | 360 030 158 | 16.480 |
| 14 | 15.300 | 360 030 194 | 22.150 |
| 16 | 17.400 | 360 030 242 | 28.640 |
| 18 | 19.500 | 360 030 284 | 35.970 |
| 20 | 21.600 | 360 030 326 | 44.140 |
| 24 | 25.800 | 360 030 368 | 62.970 |
| 30 | 32.000 | 360 030 404 | 96.870 |
| 36 | 38.300 | 360 030 440 | 138.770 |



**HDPE PIPE: Potable Water Industry
DIPS, DR14.3, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 14 | 15.300 | 360 030 200 | 21.010 |



**HDPE PIPE: Potable Water Industry
DIPS, DR17, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.800 | 360 030 013 | 1.760 |
| 6 | 6.900 | 360 030 044 | 3.640 |
| 8 | 9.050 | 360 030 086 | 6.260 |
| 10 | 11.100 | 360 030 122 | 9.420 |
| 12 | 13.200 | 360 030 164 | 13.320 |
| 14 | 15.300 | 360 030 206 | 17.890 |
| 16 | 17.400 | 360 030 248 | 23.140 |
| 18 | 19.500 | 360 030 290 | 29.070 |
| 20 | 21.600 | 360 030 332 | 35.660 |
| 24 | 25.800 | 360 030 374 | 50.880 |
| 30 | 32.000 | 360 030 410 | 78.280 |
| 36 | 38.300 | 360 030 446 | 112.130 |



**HDPE PIPE: Potable Water Industry
DIPS, DR19, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.900 | 360 030 050 | 3.280 |



**HDPE PIPE: Potable Water Industry
DIPS, DR21, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.800 | 360 030 016 | 1.440 |
| 6 | 6.900 | 360 030 056 | 2.980 |
| 8 | 9.050 | 360 030 092 | 5.130 |
| 10 | 11.100 | 360 030 128 | 7.720 |
| 12 | 13.200 | 360 030 170 | 10.920 |
| 14 | 15.300 | 360 030 212 | 14.670 |
| 16 | 17.400 | 360 030 254 | 18.970 |
| 18 | 19.500 | 360 030 296 | 23.830 |
| 20 | 21.600 | 360 030 338 | 29.240 |
| 24 | 25.800 | 360 030 380 | 41.710 |
| 30 | 32.000 | 360 030 416 | 64.170 |
| 36 | 38.300 | 360 030 452 | 91.920 |
| 42 | 44.500 | 360 030 470 | 124.090 |
| 48 | 50.800 | 360 030 488 | 161.720 |





**HDPE PIPE: Potable Water Industry
DIPS, DR26, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 14 | 15.300 | 360 030 218 | 11.970 |
| 16 | 17.400 | 360 030 260 | 15.480 |
| 18 | 19.500 | 360 030 302 | 19.440 |
| 20 | 21.800 | 360 030 344 | 23.860 |
| 24 | 25.800 | 360 030 386 | 34.040 |
| 30 | 32.000 | 360 030 422 | 52.360 |
| 36 | 38.300 | 360 030 458 | 75.000 |
| 42 | 44.500 | 360 030 476 | 101.250 |
| 48 | 50.800 | 360 030 494 | 131.950 |



**HDPE PIPE: Potable Water Industry
DIPS, DR32.5, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 10 | 11.100 | 360 030 134 | 5.080 |
| 30 | 32.000 | 360 030 428 | 42.240 |
| 36 | 38.300 | 360 030 464 | 60.510 |
| 42 | 44.500 | 360 030 482 | 81.690 |
| 48 | 50.800 | 360 030 500 | 106.460 |



IPS - 50' Long



**HDPE PIPE: Waste Water Industry
IPS, DR19, Gray Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 031 237 | 3.020 |
| 8 | 8.625 | 360 031 253 | 5.120 |
| 10 | 10.750 | 360 031 269 | 7.960 |
| 12 | 12.750 | 360 031 285 | 11.200 |
| 14 | 14.000 | 360 031 301 | 13.500 |
| 16 | 16.000 | 360 031 317 | 17.630 |
| 18 | 18.000 | 360 031 333 | 22.320 |



**HDPE PIPE: Waste Water Industry
IPS, DR7, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 030 568 | 7.370 |
| 8 | 8.625 | 360 030 622 | 12.500 |
| 10 | 10.750 | 360 030 676 | 19.420 |
| 12 | 12.750 | 360 030 730 | 27.310 |
| 14 | 14.000 | 360 030 784 | 32.930 |
| 16 | 16.000 | 360 030 808 | 43.010 |
| 18 | 18.000 | 360 030 862 | 54.430 |
| 20 | 20.000 | 360 030 904 | 67.200 |
| 22 | 22.000 | 360 030 946 | 81.320 |
| 24 | 24.000 | 360 030 988 | 96.770 |



**HDPE PIPE: Waste Water Industry
IPS, DR9, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 030 574 | 5.960 |
| 8 | 8.625 | 360 030 628 | 10.110 |
| 10 | 10.750 | 360 030 682 | 15.700 |
| 12 | 12.750 | 360 030 736 | 22.080 |
| 14 | 14.000 | 360 030 790 | 26.630 |
| 16 | 16.000 | 360 030 814 | 34.780 |
| 18 | 18.000 | 360 030 868 | 44.020 |
| 20 | 20.000 | 360 030 910 | 54.340 |
| 22 | 22.000 | 360 030 952 | 65.750 |
| 24 | 24.000 | 360 030 994 | 78.250 |



**HDPE PIPE: Waste Water Industry
IPS, DR11, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 030 580 | 5.000 |
| 8 | 8.625 | 360 030 634 | 8.470 |
| 10 | 10.750 | 360 030 688 | 13.160 |
| 12 | 12.750 | 360 030 742 | 18.510 |
| 14 | 14.000 | 360 030 796 | 22.320 |
| 16 | 16.000 | 360 030 820 | 29.150 |
| 18 | 18.000 | 360 030 874 | 36.890 |
| 20 | 20.000 | 360 030 916 | 45.540 |
| 22 | 22.000 | 360 030 958 | 55.100 |
| 24 | 24.000 | 360 031 000 | 65.580 |



**HDPE PIPE: Waste Water Industry
IPS, DR13.5, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 030 586 | 4.150 |
| 8 | 8.625 | 360 030 640 | 7.040 |
| 10 | 10.750 | 360 030 694 | 10.930 |
| 16 | 16.000 | 360 030 826 | 24.220 |



**HDPE PIPE: Waste Water Industry
IPS, DR15.5, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 10 | 10.750 | 360 030 700 | 9.630 |



**HDPE PIPE: Waste Water Industry
IPS, DR17, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 030 598 | 3.360 |
| 8 | 8.625 | 360 030 652 | 5.690 |
| 10 | 10.750 | 360 030 706 | 8.830 |
| 12 | 12.750 | 360 030 760 | 12.430 |
| 14 | 14.000 | 360 030 802 | 14.980 |
| 16 | 16.000 | 360 030 838 | 19.570 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 18 | 18.000 | 360 030 880 | 24.770 |
| 20 | 20.000 | 360 030 922 | 30.580 |
| 22 | 22.000 | 360 030 964 | 37.000 |
| 24 | 24.000 | 360 031 006 | 44.030 |



**HDPE PIPE: Waste Water Industry
IPS, DR19, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM F714
 - Approval: ASTM D3035
 - Approval: AWWA C901
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 24 | 24.000 | 360 031 012 | 39.670 |



**HDPE PIPE: Waste Water Industry
IPS, DR21, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM F714
 - Approval: ASTM D3035
 - Approval: AWWA C901
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 030 604 | 2.750 |
| 8 | 8.625 | 360 030 658 | 4.660 |
| 10 | 10.750 | 360 030 712 | 7.240 |
| 12 | 12.750 | 360 030 766 | 10.190 |
| 16 | 16.000 | 360 030 844 | 16.040 |
| 18 | 18.000 | 360 030 886 | 20.300 |
| 20 | 20.000 | 360 030 928 | 25.070 |
| 24 | 24.000 | 360 031 018 | 36.100 |



HDPE PIPE: Waste Water Industry
IPS, DR26, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 030 610 | 2.240 |
| 18 | 18.000 | 360 030 892 | 16.570 |
| 20 | 20.000 | 360 030 934 | 20.450 |
| 22 | 22.000 | 360 030 976 | 24.750 |
| 26 | 26.000 | 360 031 024 | 29.450 |



HDPE PIPE: Waste Water Industry
IPS, DR32.5, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 030 616 | 1.810 |
| 10 | 10.750 | 360 030 724 | 4.770 |
| 16 | 16.000 | 360 030 856 | 10.560 |
| 24 | 24.000 | 360 031 030 | 23.760 |

DIPS - 50' Long



HDPE PIPE: Waste Water Industry
DIPS, DR17, Gray Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 8 | 8.625 | 360 031 802 | 6.260 |
| 12 | 12.750 | 360 031 281 | 12.430 |
| 18 | 18.000 | 360 031 214 | 29.070 |



HDPE PIPE: Waste Water Industry
DIPS, DR19, Gray Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 8 | 8.625 | 360 031 146 | 5.640 |
| 10 | 10.750 | 360 031 158 | 8.490 |
| 12 | 12.000 | 360 031 170 | 12.000 |
| 16 | 16.000 | 360 031 202 | 20.850 |



HDPE PIPE: Waste Water Industry
DIPS, DR7, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|-------------|-------------|
| 6 | 6.900 | 360 030 019 | 8.000 |
| 8 | 9.050 | 360 030 061 | 13.760 |
| 10 | 11.100 | 360 030 097 | 20.700 |
| 12 | 13.200 | 360 030 139 | 29.270 |
| 14 | 15.300 | 360 030 175 | 39.330 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 16 | 17.400 | 360 030 223 | 50.870 |
| 18 | 19.500 | 360 030 265 | 63.890 |
| 20 | 21.600 | 360 030 307 | 78.390 |
| 24 | 25.800 | 360 030 349 | 111.830 |



**HDPE PIPE: Waste Water Industry
DIPS, DR9, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 025 | 6.470 |
| 8 | 9.050 | 360 030 067 | 11.130 |
| 10 | 11.100 | 360 030 103 | 16.740 |
| 12 | 13.200 | 360 030 145 | 23.670 |
| 14 | 15.300 | 360 030 181 | 31.800 |
| 16 | 17.400 | 360 030 229 | 41.130 |
| 18 | 19.500 | 360 030 273 | 51.660 |
| 20 | 21.600 | 360 030 313 | 63.380 |
| 24 | 25.800 | 360 030 355 | 90.430 |
| 30 | 32.000 | 360 030 391 | 139.120 |



**HDPE PIPE: Waste Water Industry
DIPS, DR 11, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 031 | 5.420 |
| 8 | 9.050 | 360 030 073 | 9.320 |
| 10 | 11.100 | 360 030 109 | 14.030 |
| 12 | 13.200 | 360 030 151 | 19.840 |
| 14 | 15.300 | 360 030 187 | 26.650 |
| 16 | 17.400 | 360 030 235 | 34.470 |
| 18 | 19.500 | 360 030 277 | 43.290 |
| 20 | 21.600 | 360 030 319 | 53.120 |
| 24 | 25.800 | 360 030 361 | 75.780 |
| 30 | 32.000 | 360 030 397 | 116.580 |
| 36 | 38.300 | 360 030 433 | 167.010 |



**HDPE PIPE: Waste Water Industry
DIPS, DR13.5, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 037 | 4.500 |
| 12 | 13.200 | 360 030 157 | 16.480 |
| 16 | 17.400 | 360 030 241 | 28.640 |
| 20 | 21.600 | 360 030 325 | 44.140 |
| 36 | 38.300 | 360 030 438 | 138.770 |
| 36 | 38.300 | 360 030 439 | 138.770 |



**HDPE PIPE: Waste Water Industry
DIPS, DR14.3, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 15.300 | 360 030 199 | 21.010 |



**HDPE PIPE: Waste Water Industry
DIPS, DR17, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 043 | 3.640 |
| 8 | 9.050 | 360 030 085 | 6.260 |
| 10 | 11.100 | 360 030 121 | 9.420 |
| 12 | 13.200 | 360 030 163 | 13.320 |
| 14 | 15.300 | 360 030 205 | 17.890 |
| 16 | 17.400 | 360 030 247 | 23.140 |
| 18 | 19.500 | 360 030 289 | 29.070 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 20 | 21.600 | 360 030 331 | 35.660 |
| 24 | 25.800 | 360 030 373 | 50.880 |
| 30 | 32.000 | 360 030 409 | 78.280 |
| 36 | 38.300 | 360 030 445 | 112.130 |



**HDPE PIPE: Waste Water Industry
DIPS, DR19, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM F714
 - Approval: ASTM D3035
 - Approval: AWWA C906
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 049 | 3.280 |



**HDPE PIPE: Waste Water Industry
DIPS, DR21, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM F714
 - Approval: ASTM D3035
 - Approval: AWWA C906
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.900 | 360 030 055 | 2.980 |
| 12 | 13.200 | 360 030 169 | 10.920 |
| 20 | 21.600 | 360 030 337 | 29.240 |
| 30 | 32.000 | 360 030 415 | 64.170 |
| 36 | 38.300 | 360 030 451 | 91.920 |



**HDPE PIPE: Waste Water Industry
DIPS, DR26, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 15.300 | 360 030 217 | 11.970 |
| 30 | 32.000 | 360 030 421 | 52.360 |
| 36 | 38.300 | 360 030 457 | 75.000 |

IPS - 40' Long



HDPE PIPE: Waste Water Industry
IPS, DR13.5, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 8 | 8.625 | 360 031 852 | 7.040 |



HDPE PIPE: Waste Water Industry
IPS, DR19, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 031 236 | 3.020 |
| 8 | 8.625 | 360 031 252 | 5.120 |
| 10 | 10.750 | 360 031 268 | 7.960 |
| 12 | 12.750 | 360 031 284 | 11.200 |
| 14 | 14.000 | 360 031 300 | 13.500 |
| 16 | 16.000 | 360 031 316 | 17.630 |
| 18 | 18.000 | 360 031 332 | 22.320 |



HDPE PIPE: Waste Water Industry
IPS, DR21, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 8 | 8.625 | 360 031 256 | 4.660 |
| 10 | 10.750 | 360 031 272 | 7.240 |



**HDPE PIPE: Waste Water Industry
IPS, DR7, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 504 | 0.950 |
| 3 | 3.500 | 360 030 522 | 2.060 |
| 4 | 4.500 | 360 030 543 | 3.400 |
| 6 | 6.625 | 360 030 567 | 7.370 |
| 8 | 8.625 | 360 030 621 | 12.500 |
| 10 | 10.750 | 360 030 675 | 19.420 |
| 12 | 12.750 | 360 030 729 | 27.310 |
| 14 | 14.000 | 360 030 783 | 32.930 |
| 16 | 16.000 | 360 030 807 | 43.010 |
| 18 | 18.000 | 360 030 861 | 54.430 |
| 20 | 20.000 | 360 030 903 | 67.200 |
| 24 | 24.000 | 360 030 987 | 96.770 |



**HDPE PIPE: Waste Water Industry
IPS, DR9, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 507 | 0.770 |
| 3 | 3.500 | 360 030 525 | 1.660 |
| 4 | 4.500 | 360 030 546 | 2.750 |
| 6 | 6.625 | 360 030 573 | 5.960 |
| 8 | 8.625 | 360 030 627 | 10.110 |
| 10 | 10.750 | 360 030 681 | 15.700 |
| 12 | 12.750 | 360 030 735 | 22.080 |
| 14 | 14.000 | 360 030 789 | 26.630 |
| 16 | 16.000 | 360 030 813 | 34.780 |
| 18 | 18.000 | 360 030 867 | 44.020 |
| 20 | 20.000 | 360 030 909 | 54.340 |
| 22 | 22.000 | 360 030 951 | 65.750 |
| 24 | 24.000 | 360 030 993 | 78.250 |



**HDPE PIPE: Waste Water Industry
IPS, DR11, Black Pipe,
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 510 | 0.640 |
| 3 | 3.500 | 360 030 528 | 1.390 |
| 4 | 4.500 | 360 030 549 | 2.310 |
| 6 | 6.625 | 360 030 579 | 5.000 |
| 8 | 8.625 | 360 030 633 | 8.470 |
| 10 | 10.750 | 360 030 687 | 13.160 |
| 12 | 12.750 | 360 030 741 | 18.510 |
| 14 | 14.000 | 360 030 795 | 22.320 |
| 16 | 16.000 | 360 030 819 | 29.150 |
| 18 | 18.000 | 360 030 873 | 36.890 |
| 20 | 20.000 | 360 030 915 | 45.540 |
| 22 | 22.000 | 360 030 957 | 55.100 |
| 24 | 24.000 | 360 030 999 | 65.580 |



**HDPE PIPE: Waste Water Industry
IPS, DR19, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 24 | 24.000 | 360 031 011 | 39.670 |



**HDPE PIPE: Waste Water Industry
IPS, DR13.5, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 2 | 2.375 | 360 030 513 | 0.530 |
| 3 | 3.500 | 360 030 531 | 1.160 |
| 4 | 4.500 | 360 030 552 | 1.920 |
| 6 | 6.625 | 360 030 585 | 4.150 |
| 8 | 8.625 | 360 030 639 | 7.040 |
| 10 | 10.750 | 360 030 693 | 10.930 |
| 16 | 16.000 | 360 030 825 | 24.220 |



**HDPE PIPE: Waste Water Industry
IPS, DR15.5, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 10 | 10.750 | 360 030 699 | 9.630 |



**HDPE PIPE: Waste Water Industry
IPS, DR17, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 2 | 2.375 | 360 030 516 | 0.430 |
| 3 | 3.500 | 360 030 537 | 0.940 |
| 4 | 4.500 | 360 030 558 | 1.550 |
| 6 | 6.625 | 360 030 597 | 3.360 |
| 8 | 8.625 | 360 030 651 | 5.690 |
| 10 | 10.750 | 360 030 708 | 8.830 |
| 12 | 12.750 | 360 030 759 | 12.430 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 14.000 | 360 030 801 | 14.980 |
| 16 | 16.000 | 360 030 837 | 19.570 |
| 18 | 18.000 | 360 030 879 | 24.770 |
| 20 | 20.000 | 360 030 921 | 30.580 |
| 22 | 22.000 | 360 030 963 | 37.000 |
| 24 | 24.000 | 360 031 005 | 44.030 |



**HDPE PIPE: Waste Water Industry
IPS, DR21, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 030 519 | 0.350 |
| 3 | 3.500 | 360 030 540 | 0.770 |
| 4 | 4.500 | 360 030 561 | 1.270 |
| 6 | 6.625 | 360 030 603 | 2.750 |
| 8 | 8.625 | 360 030 657 | 4.660 |
| 10 | 10.750 | 360 030 711 | 7.240 |
| 12 | 12.750 | 360 030 765 | 10.190 |
| 16 | 16.000 | 360 030 843 | 16.040 |
| 18 | 18.000 | 360 030 885 | 20.300 |
| 20 | 20.000 | 360 030 927 | 25.070 |
| 24 | 24.000 | 360 031 017 | 36.100 |



**HDPE PIPE: Waste Water Industry
IPS, DR26, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.500 | 360 030 564 | 1.040 |
| 6 | 6.625 | 360 030 609 | 2.240 |
| 18 | 18.000 | 360 030 891 | 16.570 |
| 20 | 20.000 | 360 030 933 | 20.450 |
| 22 | 22.000 | 360 030 975 | 24.750 |
| 24 | 24.000 | 360 031 023 | 29.450 |



**HDPE PIPE: Waste Water Industry
IPS, DR32.5, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 030 615 | 1.810 |
| 10 | 10.750 | 360 030 723 | 4.770 |
| 16 | 16.000 | 360 030 855 | 10.560 |
| 24 | 24.000 | 360 031 029 | 23.760 |

DIPS - 40' Long



HDPE PIPE: Waste Water Industry
DIPS, DR11, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 8 | 9.050 | 360 031 137 | 6.260 |
| 10 | 11.100 | 360 032 178 | 14.030 |
| 12 | 12.300 | 360 031 276 | 18.510 |
| 14 | 15.300 | 360 031 177 | 26.650 |



HDPE PIPE: Waste Water Industry
DIPS, DR17, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.900 | 360 031 742 | 3.640 |
| 8 | 9.050 | 360 031 141 | 6.260 |
| 10 | 11.100 | 360 031 153 | 9.420 |
| 12 | 13.200 | 360 031 165 | 13.320 |
| 16 | 17.400 | 360 031 197 | 23.140 |



HDPE PIPE: Waste Water Industry
DIPS, DR19, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 8 | 9.050 | 360 031 145 | 5.640 |
| 10 | 11.100 | 360 031 157 | 8.490 |
| 12 | 13.200 | 360 031 169 | 12.000 |
| 16 | 17.400 | 360 031 201 | 20.850 |



**HDPE PIPE: Waste Water Industry
DIPS, DR21, Gray Pipe
Green Stripe, 40' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM F714
 - Approval: ASTM D3035
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 8 | 9.050 | 360 031 149 | 5.130 |
| 10 | 11.100 | 360 031 161 | 7.720 |
| 12 | 13.200 | 360 031 173 | 10.920 |
| 14 | 15.300 | 360 031 189 | 14.670 |
| 16 | 17.400 | 360 031 205 | 18.970 |
| 18 | 19.500 | 360 031 221 | 23.830 |



**HDPE PIPE: Waste Water Industry
DIPS, DR7, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM F714
 - Approval: ASTM D3035
 - Approval: AWWA C906
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.800 | 360 030 000 | 3.870 |
| 6 | 6.900 | 360 030 018 | 8.000 |
| 8 | 9.050 | 360 030 060 | 13.760 |
| 10 | 11.100 | 360 030 096 | 20.700 |
| 12 | 13.200 | 360 030 138 | 29.270 |
| 14 | 15.300 | 360 030 174 | 39.330 |
| 16 | 17.400 | 360 030 222 | 50.870 |
| 18 | 19.500 | 360 030 264 | 63.890 |
| 20 | 21.600 | 360 030 306 | 78.390 |
| 24 | 25.800 | 360 030 348 | 111.830 |



**HDPE PIPE: Waste Water Industry
DIPS, DR9, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.800 | 360 030 003 | 3.130 |
| 6 | 6.900 | 360 030 024 | 6.470 |
| 8 | 9.050 | 360 030 066 | 11.130 |
| 10 | 11.100 | 360 030 102 | 16.740 |
| 12 | 13.200 | 360 030 144 | 23.670 |
| 14 | 15.300 | 360 030 180 | 31.800 |
| 16 | 17.400 | 360 030 228 | 41.130 |
| 18 | 19.500 | 360 030 270 | 51.660 |
| 20 | 21.600 | 360 030 312 | 63.380 |
| 24 | 25.800 | 360 030 354 | 90.430 |
| 30 | 32.000 | 360 030 390 | 139.120 |



**HDPE PIPE: Waste Water Industry
DIPS, DR11, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.800 | 360 030 006 | 2.620 |
| 6 | 6.900 | 360 030 030 | 5.420 |
| 8 | 9.050 | 360 030 072 | 9.320 |
| 10 | 11.100 | 360 030 108 | 14.030 |
| 12 | 13.200 | 360 030 150 | 19.840 |
| 14 | 15.300 | 360 030 186 | 26.650 |
| 16 | 17.400 | 360 030 234 | 34.470 |
| 18 | 19.500 | 360 030 276 | 43.290 |
| 20 | 21.600 | 360 030 318 | 53.120 |
| 24 | 25.800 | 360 030 360 | 75.780 |
| 30 | 32.000 | 360 030 396 | 116.580 |
| 36 | 38.300 | 360 030 432 | 167.010 |



**HDPE PIPE: Waste Water Industry
DIPS, DR13.5, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.800 | 360 030 009 | 2.100 |
| 6 | 6.900 | 360 030 036 | 4.500 |
| 8 | 9.050 | 360 030 078 | 7.750 |
| 10 | 11.100 | 360 030 114 | 11.660 |
| 12 | 13.200 | 360 030 156 | 16.480 |
| 14 | 15.300 | 360 030 192 | 22.150 |
| 16 | 17.400 | 360 030 240 | 28.640 |
| 18 | 19.500 | 360 030 282 | 35.970 |
| 20 | 21.600 | 360 030 324 | 44.140 |
| 24 | 25.800 | 360 030 366 | 62.970 |
| 30 | 32.000 | 360 030 402 | 96.870 |



**HDPE PIPE: Waste Water Industry
DIPS, DR14.3, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 14 | 15.300 | 360 030 198 | 21.010 |



**HDPE PIPE: Waste Water Industry
DIPS, DR17, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.800 | 360 030 012 | 1.760 |
| 6 | 6.900 | 360 030 042 | 3.640 |
| 8 | 9.050 | 360 030 084 | 6.260 |
| 10 | 11.100 | 360 030 120 | 9.420 |
| 12 | 13.200 | 360 030 162 | 13.320 |
| 14 | 15.300 | 360 030 204 | 17.890 |
| 16 | 17.400 | 360 030 246 | 23.140 |
| 18 | 19.500 | 360 030 288 | 29.070 |
| 20 | 21.600 | 360 030 330 | 35.660 |
| 24 | 25.800 | 360 030 372 | 50.880 |
| 30 | 32.000 | 360 030 408 | 78.280 |
| 36 | 38.300 | 360 030 444 | 112.130 |



**HDPE PIPE: Waste Water Industry
DIPS, DR19, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.900 | 360 030 048 | 3.280 |



**HDPE PIPE: Waste Water Industry
DIPS, DR21, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 4 | 4.900 | 360 030 015 | 1.440 |
| 6 | 6.900 | 360 030 054 | 2.980 |
| 8 | 9.050 | 360 030 090 | 5.130 |
| 10 | 11.100 | 360 030 126 | 7.720 |
| 12 | 13.200 | 360 030 168 | 10.920 |
| 14 | 15.300 | 360 030 210 | 14.670 |
| 16 | 17.400 | 360 030 252 | 18.970 |
| 18 | 19.500 | 360 030 294 | 23.830 |
| 20 | 21.600 | 360 030 336 | 29.240 |
| 24 | 25.800 | 360 030 378 | 50.880 |
| 30 | 32.000 | 360 030 414 | 64.170 |
| 36 | 38.300 | 360 030 450 | 91.920 |
| 42 | 44.500 | 360 030 468 | 124.090 |
| 48 | 50.800 | 360 030 486 | 161.720 |



**HDPE PIPE: Waste Water Industry
DIPS, DR26, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 14 | 15.300 | 360 030 216 | 11.970 |
| 16 | 17.400 | 360 030 258 | 15.480 |
| 18 | 19.500 | 360 030 300 | 19.440 |
| 20 | 21.600 | 360 030 342 | 23.860 |
| 24 | 25.800 | 360 030 384 | 34.040 |
| 30 | 32.000 | 360 030 420 | 52.360 |
| 36 | 38.300 | 360 030 456 | 75.000 |
| 42 | 44.500 | 360 030 474 | 101.250 |
| 48 | 50.800 | 360 030 492 | 131.950 |



**HDPE PIPE: Waste Water Industry
DIPS, DR32.5, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 10 | 11.100 | 360 030 132 | 5.080 |
| 30 | 32.000 | 360 030 426 | 42.240 |
| 36 | 38.300 | 360 030 462 | 60.510 |
| 42 | 44.500 | 360 030 480 | 81.690 |
| 48 | 50.800 | 360 030 498 | 106.460 |

IPS - 50' Long



**HDPE PIPE: Natural Gas Industry
IPS, DR7, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
 - Yellow stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM D2513
 - Approval: 49 CFR 192
 - Approval: API 15LE
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 031 371 | 7.370 |
| 8 | 8.625 | 360 031 387 | 12.500 |
| 10 | 10.750 | 360 031 407 | 19.420 |
| 12 | 12.750 | 360 031 427 | 27.310 |



**HDPE PIPE: Natural Gas Industry
IPS, DR7, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
 - Yellow stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM D2513
 - Approval: 49 CFR 192
 - Approval: API 15LE
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.500 | 360 032 120 | 3.400 |
| 6 | 6.625 | 360 031 373 | 7.370 |
| 8 | 8.625 | 360 031 389 | 12.500 |
| 12 | 12.750 | 360 031 429 | 27.310 |



**HDPE PIPE: Natural Gas Industry
IPS, DR9, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 031 375 | 5.960 |
| 8 | 8.625 | 360 031 391 | 10.110 |
| 10 | 10.750 | 360 031 411 | 15.700 |
| 12 | 12.750 | 360 031 431 | 22.080 |
| 16 | 16.000 | 360 031 451 | 34.780 |
| 18 | 18.000 | 360 031 471 | 44.020 |



**HDPE PIPE: Natural Gas Industry
IPS, DR9, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 031 377 | 5.960 |
| 8 | 8.625 | 360 031 393 | 10.110 |
| 10 | 10.750 | 360 031 413 | 15.700 |
| 12 | 12.750 | 360 031 433 | 22.080 |
| 16 | 16.000 | 360 031 453 | 34.780 |
| 18 | 18.000 | 360 031 473 | 44.020 |



**HDPE PIPE: Natural Gas Industry
IPS, DR11, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 6 | 6.625 | 360 031 379 | 5.000 |
| 8 | 8.625 | 360 031 395 | 8.470 |
| 10 | 10.750 | 360 031 415 | 13.160 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|-------------|----------------|
| 12 | 12.750 | 360 031 435 | 18.510 |
| 16 | 16.000 | 360 031 455 | 29.150 |
| 18 | 18.000 | 360 031 475 | 36.890 |
| 20 | 20.000 | 360 031 491 | 45.540 |
| 24 | 24.000 | 360 031 507 | 65.580 |



**HDPE PIPE: Natural Gas Industry
IPS, DR11, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|-------------|----------------|
| 6 | 6.625 | 360 031 381 | 5.000 |
| 8 | 8.625 | 360 031 397 | 8.470 |
| 10 | 10.750 | 360 031 417 | 13.160 |
| 12 | 12.750 | 360 031 437 | 18.510 |
| 16 | 16.000 | 360 031 457 | 29.150 |
| 18 | 18.000 | 360 031 477 | 36.890 |
| 20 | 20.000 | 360 031 493 | 45.540 |
| 24 | 24.000 | 360 031 509 | 65.580 |



**HDPE PIPE: Natural Gas Industry
IPS, DR13.5, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| OD (inch) | Nominal Pipe Size (inch) | GF Part No. | weight (lb) |
|--------------|-----------------------------|-------------|----------------|
| 9 | 8 | 360 031 399 | 7.040 |
| 11 | 10 | 360 031 419 | 10.930 |
| 16 | 16 | 360 031 459 | 24.220 |



**HDPE PIPE: Natural Gas Industry
IPS, DR13.5, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 8 | 8.625 | 360 031 401 | 7.040 |
| 10 | 10.750 | 360 031 421 | 10.930 |
| 16 | 16.000 | 360 031 461 | 24.220 |



**HDPE PIPE: Natural Gas Industry
IPS, DR17, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 031 383 | 3.360 |
| 8 | 8.625 | 360 031 403 | 5.690 |
| 10 | 10.750 | 360 031 423 | 8.830 |
| 16 | 16.000 | 360 031 463 | 19.570 |
| 12 | 12.750 | 360 031 443 | 12.430 |
| 18 | 18.000 | 360 031 483 | 24.770 |
| 20 | 20.000 | 360 031 499 | 30.580 |
| 24 | 24.000 | 360 031 515 | 44.030 |



**HDPE PIPE: Natural Gas Industry
IPS, DR17, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 6 | 6.625 | 360 031 385 | 3.360 |
| 8 | 8.625 | 360 031 405 | 5.690 |
| 10 | 10.750 | 360 031 425 | 8.830 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 12 | 12.750 | 360 031 445 | 12.430 |
| 16 | 16.000 | 360 031 465 | 19.570 |
| 18 | 18.000 | 360 031 485 | 24.770 |
| 20 | 20.000 | 360 031 501 | 30.580 |
| 24 | 24.000 | 360 031 517 | 44.030 |



**HDPE PIPE: Natural Gas Industry
IPS, DR21, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 12 | 12.750 | 360 031 447 | 10.190 |
| 16 | 16.000 | 360 031 467 | 16.040 |
| 18 | 18.000 | 360 031 487 | 20.300 |
| 20 | 20.000 | 360 031 503 | 25.070 |
| 24 | 24.000 | 360 031 519 | 36.100 |



**HDPE PIPE: Natural Gas Industry
IPS, DR21, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 12 | 12.750 | 360 031 449 | 10.190 |
| 16 | 16.000 | 360 031 469 | 16.040 |
| 18 | 18.000 | 360 031 489 | 20.300 |
| 20 | 20.000 | 360 031 505 | 25.070 |
| 24 | 24.000 | 360 031 521 | 36.100 |

IPS - 40' Long



**HDPE PIPE: Natural Gas Industry
IPS, DR7, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
 - Yellow stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM D2513
 - Approval: 49 CFR 192
 - Approval: API 15LE
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 3 | 3.500 | 360 031 358 | 2.060 |
| 4 | 4.500 | 360 031 362 | 3.400 |
| 6 | 6.625 | 360 031 370 | 7.370 |
| 8 | 8.625 | 360 031 386 | 12.500 |
| 10 | 10.750 | 360 031 406 | 19.420 |
| 12 | 12.750 | 360 031 426 | 27.310 |



**HDPE PIPE: Natural Gas Industry
IPS, DR7, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
 - Yellow stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM D2513
 - Approval: 49 CFR 192
 - Approval: API 15LE
- **PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------|-----------|--------------------|-------------|
| 3 | 3.500 | 360 031 359 | 2.060 |
| 4 | 4.500 | 360 031 363 | 3.400 |
| 6 | 6.625 | 360 031 372 | 7.370 |
| 8 | 8.625 | 360 031 388 | 12.500 |
| 10 | 10.750 | 360 031 408 | 19.420 |
| 12 | 12.750 | 360 031 428 | 27.310 |
| 16 | 16.000 | 360 031 822 | 43.010 |
| 20 | 20.000 | 360 032 121 | 67.200 |



**HDPE PIPE: Natural Gas Industry
IPS, DR9, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 031 356 | 0.770 |
| 3 | 3.500 | 360 031 360 | 1.660 |
| 12 | 12.750 | 360 031 430 | 22.080 |



**HDPE PIPE: Natural Gas Industry
IPS, DR9, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 2 | 2.375 | 360 031 357 | 0.770 |
| 3 | 3.500 | 360 031 361 | 1.660 |
| 4 | 4.500 | 360 031 365 | 2.750 |
| 6 | 6.625 | 360 031 376 | 5.960 |
| 8 | 8.625 | 360 031 392 | 10.110 |
| 10 | 10.750 | 360 031 412 | 15.700 |
| 12 | 12.750 | 360 031 432 | 22.080 |
| 16 | 16.000 | 360 031 452 | 34.780 |
| 18 | 18.000 | 360 031 472 | 44.020 |



**HDPE PIPE: Natural Gas Industry
IPS, DR11, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.500 | 360 031 366 | 2.310 |
| 6 | 6.625 | 360 031 378 | 5.000 |
| 8 | 8.625 | 360 031 394 | 8.470 |

table continued on the next page

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 10 | 10.750 | 360 031 414 | 13.160 |
| 12 | 12.750 | 360 031 434 | 18.510 |
| 16 | 16.000 | 360 031 454 | 29.150 |
| 18 | 18.000 | 360 031 474 | 36.890 |
| 20 | 20.000 | 360 031 490 | 45.540 |
| 24 | 24.000 | 360 031 506 | 65.580 |



**HDPE PIPE: Natural Gas Industry
IPS, DR11, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.500 | 360 031 367 | 2.310 |
| 8 | 8.625 | 360 031 396 | 8.470 |
| 10 | 10.750 | 360 031 416 | 13.160 |
| 12 | 12.750 | 360 031 436 | 18.510 |
| 16 | 16.000 | 360 031 456 | 29.150 |
| 18 | 18.000 | 360 031 476 | 36.890 |
| 20 | 20.000 | 360 031 492 | 45.540 |
| 24 | 24.000 | 360 031 508 | 65.580 |



**HDPE PIPE: Natural Gas Industry
IPS, DR13.5, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 8 | 8.625 | 360 031 398 | 7.040 |
| 10 | 10.750 | 360 031 418 | 10.930 |
| 16 | 16.000 | 360 031 458 | 24.220 |
| 18 | 18.000 | 360 031 478 | 30.650 |



**HDPE PIPE: Natural Gas Industry
IPS, DR13.5, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 8 | 8.625 | 360 031 400 | 7.040 |
| 10 | 10.750 | 360 031 420 | 10.930 |
| 16 | 16.000 | 360 031 460 | 24.220 |



**HDPE PIPE: Natural Gas Industry
IPS, DR17, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.500 | 360 031 368 | 1.550 |
| 6 | 6.625 | 360 031 382 | 3.360 |
| 8 | 8.625 | 360 031 402 | 5.690 |
| 10 | 10.750 | 360 031 422 | 8.830 |
| 12 | 12.750 | 360 031 442 | 12.430 |
| 16 | 16.000 | 360 031 462 | 19.570 |
| 18 | 18.000 | 360 031 482 | 24.770 |
| 20 | 20.000 | 360 031 498 | 30.580 |
| 24 | 24.000 | 360 031 514 | 44.030 |



**HDPE PIPE: Natural Gas Industry
IPS, DR17, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 4 | 4.500 | 360 031 369 | 1.550 |
| 6 | 6.625 | 360 031 384 | 3.360 |
| 8 | 8.625 | 360 031 404 | 5.690 |
| 10 | 10.750 | 360 031 424 | 8.830 |
| 12 | 12.750 | 360 031 444 | 12.430 |
| 16 | 16.000 | 360 031 464 | 19.570 |
| 18 | 18.000 | 360 031 484 | 24.770 |
| 20 | 20.000 | 360 031 500 | 30.580 |
| 24 | 24.000 | 360 031 516 | 44.030 |



**HDPE PIPE: Natural Gas Industry
IPS, DR21, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|-----------------------------|--------------|--------------------|----------------|
| 12 | 12.750 | 360 031 446 | 10.190 |
| 16 | 16.000 | 360 031 466 | 16.040 |
| 18 | 18.000 | 360 031 486 | 20.300 |
| 20 | 20.000 | 360 031 502 | 25.070 |
| 24 | 24.000 | 360 031 518 | 36.100 |



**HDPE PIPE: Natural Gas Industry
IPS, DR21, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

| Nominal Pipe Size (inch) | OD (inch) | GF Part No. | weight (lb) |
|--------------------------------|--------------|--------------------|----------------|
| 12 | 12.750 | 360 031 448 | 10.190 |
| 16 | 16.000 | 360 031 468 | 16.040 |
| 18 | 18.000 | 360 031 488 | 20.300 |
| 20 | 20.000 | 360 031 504 | 25.070 |
| 24 | 24.000 | 360 031 520 | 36.100 |

Index

| Part No. | Page | Part No. | Page | Part No. | Page | Part No. | Page |
|-------------|------|-------------|------|-------------|------|-------------|------|
| 360 030 892 | 70 | 360 030 967 | 19 | 360 031 045 | 21 | 360 031 167 | 22 |
| 360 030 893 | 57 | 360 030 968 | 7 | 360 031 046 | 9 | 360 031 168 | 10 |
| 360 030 894 | 47 | 360 030 975 | 80 | 360 031 047 | 17 | 360 031 169 | 82 |
| 360 030 895 | 20 | 360 030 976 | 70 | 360 031 049 | 18 | 360 031 170 | 71 |
| 360 030 896 | 9 | 360 030 977 | 57 | 360 031 050 | 6 | 360 031 171 | 22 |
| 360 030 903 | 77 | 360 030 978 | 47 | 360 031 051 | 19 | 360 031 172 | 10 |
| 360 030 904 | 66 | 360 030 979 | 20 | 360 031 052 | 7 | 360 031 173 | 83 |
| 360 030 905 | 53 | 360 030 980 | 9 | 360 031 056 | 9 | 360 031 175 | 23 |
| 360 030 906 | 44 | 360 030 987 | 77 | 360 031 059 | 17 | 360 031 177 | 82 |
| 360 030 907 | 16 | 360 030 988 | 66 | 360 031 060 | 5 | 360 031 189 | 83 |
| 360 030 908 | 5 | 360 030 989 | 53 | 360 031 061 | 18 | 360 031 191 | 23 |
| 360 030 909 | 77 | 360 030 990 | 44 | 360 031 062 | 6 | 360 031 197 | 82 |
| 360 030 910 | 67 | 360 030 991 | 16 | 360 031 063 | 19 | 360 031 199 | 22 |
| 360 030 911 | 53 | 360 030 992 | 5 | 360 031 064 | 7 | 360 031 200 | 10 |
| 360 030 912 | 44 | 360 030 993 | 77 | 360 031 067 | 20 | 360 031 201 | 82 |
| 360 030 913 | 17 | 360 030 994 | 67 | 360 031 068 | 8 | 360 031 202 | 71 |
| 360 030 914 | 5 | 360 030 995 | 53 | 360 031 069 | 20 | 360 031 203 | 22 |
| 360 030 915 | 78 | 360 030 996 | 44 | 360 031 070 | 9 | 360 031 204 | 10 |
| 360 030 916 | 67 | 360 030 997 | 17 | 360 031 071 | 21 | 360 031 205 | 83 |
| 360 030 917 | 54 | 360 030 998 | 5 | 360 031 072 | 9 | 360 031 207 | 23 |
| 360 030 918 | 45 | 360 030 999 | 78 | 360 031 073 | 17 | 360 031 214 | 71 |
| 360 030 919 | 17 | 360 031 000 | 67 | 360 031 074 | 5 | 360 031 221 | 83 |
| 360 030 920 | 6 | 360 031 001 | 54 | 360 031 075 | 18 | 360 031 223 | 23 |
| 360 030 921 | 80 | 360 031 002 | 45 | 360 031 076 | 6 | 360 031 226 | 15 |
| 360 030 922 | 69 | 360 031 003 | 17 | 360 031 077 | 19 | 360 031 234 | 15 |
| 360 030 923 | 55 | 360 031 004 | 6 | 360 031 078 | 7 | 360 031 236 | 76 |
| 360 030 924 | 46 | 360 031 005 | 80 | 360 031 079 | 20 | 360 031 237 | 66 |
| 360 030 925 | 19 | 360 031 006 | 69 | 360 031 080 | 8 | 360 031 238 | 15 |
| 360 030 926 | 7 | 360 031 007 | 55 | 360 031 081 | 20 | 360 031 239 | 4 |
| 360 030 927 | 80 | 360 031 008 | 46 | 360 031 082 | 9 | 360 031 246 | 15 |
| 360 030 928 | 69 | 360 031 009 | 19 | 360 031 083 | 21 | 360 031 250 | 15 |
| 360 030 929 | 56 | 360 031 010 | 7 | 360 031 084 | 9 | 360 031 252 | 76 |
| 360 030 930 | 47 | 360 031 011 | 78 | 360 031 085 | 18 | 360 031 253 | 66 |
| 360 030 931 | 20 | 360 031 012 | 69 | 360 031 086 | 6 | 360 031 254 | 15 |
| 360 030 932 | 8 | 360 031 013 | 56 | 360 031 087 | 19 | 360 031 255 | 4 |
| 360 030 933 | 80 | 360 031 014 | 46 | 360 031 088 | 7 | 360 031 256 | 76 |
| 360 030 934 | 70 | 360 031 015 | 19 | 360 031 089 | 20 | 360 031 258 | 16 |
| 360 030 935 | 57 | 360 031 016 | 8 | 360 031 090 | 8 | 360 031 266 | 15 |
| 360 030 936 | 47 | 360 031 017 | 80 | 360 031 091 | 20 | 360 031 267 | 4 |
| 360 030 937 | 20 | 360 031 018 | 69 | 360 031 092 | 9 | 360 031 268 | 76 |
| 360 030 938 | 9 | 360 031 019 | 56 | 360 031 093 | 21 | 360 031 269 | 66 |
| 360 030 946 | 66 | 360 031 020 | 47 | 360 031 094 | 9 | 360 031 270 | 15 |
| 360 030 947 | 53 | 360 031 021 | 20 | 360 031 137 | 82 | 360 031 271 | 4 |
| 360 030 948 | 44 | 360 031 022 | 8 | 360 031 139 | 22 | 360 031 272 | 76 |
| 360 030 949 | 16 | 360 031 023 | 80 | 360 031 140 | 10 | 360 031 276 | 82 |
| 360 030 950 | 5 | 360 031 024 | 70 | 360 031 141 | 82 | 360 031 281 | 71 |
| 360 030 951 | 77 | 360 031 025 | 57 | 360 031 145 | 82 | 360 031 282 | 15 |
| 360 030 952 | 67 | 360 031 026 | 47 | 360 031 146 | 71 | 360 031 284 | 76 |
| 360 030 953 | 53 | 360 031 027 | 20 | 360 031 147 | 22 | 360 031 285 | 66 |
| 360 030 954 | 44 | 360 031 028 | 9 | 360 031 148 | 10 | 360 031 286 | 15 |
| 360 030 955 | 17 | 360 031 029 | 81 | 360 031 149 | 83 | 360 031 287 | 4 |
| 360 030 956 | 5 | 360 031 030 | 70 | 360 031 151 | 23 | 360 031 290 | 16 |
| 360 030 957 | 78 | 360 031 031 | 57 | 360 031 153 | 82 | 360 031 298 | 15 |
| 360 030 958 | 67 | 360 031 032 | 48 | 360 031 155 | 22 | 360 031 300 | 76 |
| 360 030 959 | 54 | 360 031 033 | 21 | 360 031 156 | 10 | 360 031 301 | 66 |
| 360 030 960 | 45 | 360 031 034 | 9 | 360 031 157 | 82 | 360 031 302 | 16 |
| 360 030 961 | 17 | 360 031 035 | 17 | 360 031 158 | 71 | 360 031 303 | 4 |
| 360 030 962 | 6 | 360 031 036 | 5 | 360 031 159 | 22 | 360 031 310 | 15 |
| 360 030 963 | 80 | 360 031 037 | 17 | 360 031 160 | 10 | 360 031 314 | 15 |
| 360 030 964 | 69 | 360 031 038 | 6 | 360 031 161 | 83 | 360 031 315 | 4 |
| 360 030 965 | 55 | 360 031 039 | 19 | 360 031 163 | 23 | 360 031 316 | 76 |
| 360 030 966 | 46 | 360 031 040 | 7 | 360 031 165 | 82 | 360 031 317 | 66 |

Index

| Part No. | Page | Part No. | Page | Part No. | Page | Part No. | Page |
|-------------|------|-------------|------|-------------|------|-------------|------|
| 360 031 318 | 16 | 360 031 415 | 93 | 360 031 486 | 101 | 360 031 562 | 41 |
| 360 031 319 | 4 | 360 031 416 | 99 | 360 031 487 | 96 | 360 031 563 | 36 |
| 360 031 330 | 15 | 360 031 417 | 94 | 360 031 488 | 102 | 360 031 564 | 41 |
| 360 031 332 | 76 | 360 031 418 | 99 | 360 031 489 | 96 | 360 031 565 | 36 |
| 360 031 333 | 66 | 360 031 419 | 94 | 360 031 490 | 99 | 360 031 566 | 40 |
| 360 031 334 | 16 | 360 031 420 | 100 | 360 031 491 | 94 | 360 031 568 | 40 |
| 360 031 335 | 4 | 360 031 421 | 95 | 360 031 492 | 99 | 360 031 569 | 35 |
| 360 031 346 | 15 | 360 031 422 | 100 | 360 031 493 | 94 | 360 031 570 | 41 |
| 360 031 347 | 4 | 360 031 423 | 95 | 360 031 498 | 100 | 360 031 571 | 36 |
| 360 031 356 | 98 | 360 031 424 | 101 | 360 031 499 | 95 | 360 031 572 | 41 |
| 360 031 357 | 98 | 360 031 425 | 95 | 360 031 500 | 101 | 360 031 573 | 36 |
| 360 031 358 | 97 | 360 031 426 | 97 | 360 031 501 | 96 | 360 031 574 | 40 |
| 360 031 359 | 97 | 360 031 427 | 92 | 360 031 502 | 101 | 360 031 576 | 40 |
| 360 031 360 | 98 | 360 031 428 | 97 | 360 031 503 | 96 | 360 031 577 | 35 |
| 360 031 361 | 98 | 360 031 429 | 92 | 360 031 504 | 102 | 360 031 578 | 41 |
| 360 031 362 | 97 | 360 031 430 | 98 | 360 031 505 | 96 | 360 031 579 | 36 |
| 360 031 363 | 97 | 360 031 431 | 93 | 360 031 506 | 99 | 360 031 580 | 41 |
| 360 031 365 | 98 | 360 031 432 | 98 | 360 031 507 | 94 | 360 031 581 | 36 |
| 360 031 366 | 98 | 360 031 433 | 93 | 360 031 508 | 99 | 360 031 583 | 35 |
| 360 031 367 | 99 | 360 031 434 | 99 | 360 031 509 | 94 | 360 031 584 | 40 |
| 360 031 368 | 100 | 360 031 435 | 94 | 360 031 514 | 100 | 360 031 585 | 35 |
| 360 031 369 | 101 | 360 031 436 | 99 | 360 031 515 | 95 | 360 031 586 | 41 |
| 360 031 370 | 97 | 360 031 437 | 94 | 360 031 516 | 101 | 360 031 587 | 36 |
| 360 031 371 | 92 | 360 031 442 | 100 | 360 031 517 | 96 | 360 031 588 | 41 |
| 360 031 372 | 97 | 360 031 443 | 95 | 360 031 518 | 101 | 360 031 589 | 36 |
| 360 031 373 | 92 | 360 031 444 | 101 | 360 031 519 | 96 | 360 031 590 | 40 |
| 360 031 375 | 93 | 360 031 445 | 96 | 360 031 520 | 102 | 360 031 591 | 35 |
| 360 031 376 | 98 | 360 031 446 | 101 | 360 031 521 | 96 | 360 031 593 | 35 |
| 360 031 377 | 93 | 360 031 447 | 96 | 360 031 522 | 40 | 360 031 594 | 41 |
| 360 031 378 | 98 | 360 031 448 | 102 | 360 031 523 | 40 | 360 031 595 | 36 |
| 360 031 379 | 93 | 360 031 449 | 96 | 360 031 524 | 41 | 360 031 596 | 41 |
| 360 031 381 | 94 | 360 031 451 | 93 | 360 031 525 | 41 | 360 031 597 | 36 |
| 360 031 382 | 100 | 360 031 452 | 98 | 360 031 526 | 40 | 360 031 598 | 37 |
| 360 031 383 | 95 | 360 031 453 | 93 | 360 031 528 | 40 | 360 031 599 | 37 |
| 360 031 384 | 101 | 360 031 454 | 99 | 360 031 529 | 35 | 360 031 600 | 38 |
| 360 031 385 | 95 | 360 031 455 | 94 | 360 031 530 | 41 | 360 031 601 | 38 |
| 360 031 386 | 97 | 360 031 456 | 99 | 360 031 531 | 36 | 360 031 602 | 39 |
| 360 031 387 | 92 | 360 031 457 | 94 | 360 031 532 | 41 | 360 031 603 | 39 |
| 360 031 388 | 97 | 360 031 458 | 99 | 360 031 533 | 36 | 360 031 604 | 37 |
| 360 031 389 | 92 | 360 031 459 | 94 | 360 031 534 | 40 | 360 031 605 | 37 |
| 360 031 391 | 93 | 360 031 460 | 100 | 360 031 536 | 40 | 360 031 606 | 38 |
| 360 031 392 | 98 | 360 031 461 | 95 | 360 031 537 | 35 | 360 031 607 | 38 |
| 360 031 393 | 93 | 360 031 462 | 100 | 360 031 538 | 41 | 360 031 608 | 39 |
| 360 031 394 | 98 | 360 031 463 | 95 | 360 031 539 | 36 | 360 031 609 | 39 |
| 360 031 395 | 93 | 360 031 464 | 101 | 360 031 540 | 41 | 360 031 610 | 37 |
| 360 031 396 | 99 | 360 031 465 | 96 | 360 031 541 | 36 | 360 031 611 | 37 |
| 360 031 397 | 94 | 360 031 466 | 101 | 360 031 542 | 40 | 360 031 612 | 38 |
| 360 031 398 | 99 | 360 031 467 | 96 | 360 031 544 | 40 | 360 031 613 | 38 |
| 360 031 399 | 94 | 360 031 468 | 102 | 360 031 545 | 35 | 360 031 614 | 39 |
| 360 031 400 | 100 | 360 031 469 | 96 | 360 031 546 | 41 | 360 031 615 | 39 |
| 360 031 401 | 95 | 360 031 471 | 93 | 360 031 547 | 36 | 360 031 616 | 37 |
| 360 031 402 | 100 | 360 031 472 | 98 | 360 031 548 | 41 | 360 031 618 | 37 |
| 360 031 403 | 95 | 360 031 473 | 93 | 360 031 549 | 36 | 360 031 619 | 32 |
| 360 031 404 | 101 | 360 031 474 | 99 | 360 031 550 | 40 | 360 031 620 | 38 |
| 360 031 405 | 95 | 360 031 475 | 94 | 360 031 553 | 35 | 360 031 621 | 33 |
| 360 031 406 | 97 | 360 031 476 | 99 | 360 031 554 | 41 | 360 031 622 | 38 |
| 360 031 407 | 92 | 360 031 477 | 94 | 360 031 555 | 36 | 360 031 623 | 33 |
| 360 031 408 | 97 | 360 031 478 | 99 | 360 031 556 | 41 | 360 031 624 | 39 |
| 360 031 411 | 93 | 360 031 482 | 100 | 360 031 557 | 36 | 360 031 625 | 34 |
| 360 031 412 | 98 | 360 031 483 | 95 | 360 031 558 | 40 | 360 031 626 | 39 |
| 360 031 413 | 93 | 360 031 484 | 101 | 360 031 560 | 40 | 360 031 627 | 34 |
| 360 031 414 | 99 | 360 031 485 | 96 | 360 031 561 | 35 | 360 031 628 | 37 |

Index

| Part No. | Page | Part No. | Page |
|-----------------|-------------|-----------------|-------------|
| 360 031 629 | 32 | 360 031 691 | 32 |
| 360 031 630 | 37 | 360 031 692 | 38 |
| 360 031 631 | 32 | 360 031 693 | 33 |
| 360 031 632 | 38 | 360 031 694 | 38 |
| 360 031 633 | 33 | 360 031 695 | 33 |
| 360 031 634 | 38 | 360 031 696 | 39 |
| 360 031 635 | 33 | 360 031 697 | 34 |
| 360 031 636 | 39 | 360 031 698 | 39 |
| 360 031 637 | 34 | 360 031 699 | 34 |
| 360 031 638 | 39 | 360 031 700 | 37 |
| 360 031 639 | 34 | 360 031 701 | 32 |
| 360 031 640 | 37 | 360 031 702 | 37 |
| 360 031 641 | 32 | 360 031 703 | 32 |
| 360 031 642 | 37 | 360 031 704 | 38 |
| 360 031 643 | 32 | 360 031 705 | 33 |
| 360 031 644 | 38 | 360 031 706 | 38 |
| 360 031 645 | 33 | 360 031 707 | 33 |
| 360 031 646 | 38 | 360 031 708 | 39 |
| 360 031 647 | 33 | 360 031 709 | 34 |
| 360 031 648 | 39 | 360 031 710 | 39 |
| 360 031 649 | 34 | 360 031 711 | 34 |
| 360 031 650 | 39 | 360 031 712 | 37 |
| 360 031 651 | 34 | 360 031 713 | 32 |
| 360 031 652 | 37 | 360 031 714 | 37 |
| 360 031 653 | 32 | 360 031 715 | 32 |
| 360 031 654 | 37 | 360 031 716 | 38 |
| 360 031 655 | 32 | 360 031 717 | 33 |
| 360 031 656 | 38 | 360 031 718 | 38 |
| 360 031 657 | 33 | 360 031 719 | 33 |
| 360 031 658 | 38 | 360 031 720 | 39 |
| 360 031 659 | 33 | 360 031 721 | 34 |
| 360 031 660 | 39 | 360 031 722 | 39 |
| 360 031 661 | 34 | 360 031 723 | 34 |
| 360 031 662 | 39 | 360 031 724 | 37 |
| 360 031 663 | 34 | 360 031 725 | 32 |
| 360 031 664 | 37 | 360 031 726 | 37 |
| 360 031 665 | 32 | 360 031 727 | 32 |
| 360 031 666 | 37 | 360 031 728 | 38 |
| 360 031 667 | 32 | 360 031 729 | 33 |
| 360 031 668 | 38 | 360 031 730 | 38 |
| 360 031 669 | 33 | 360 031 731 | 33 |
| 360 031 670 | 38 | 360 031 732 | 39 |
| 360 031 671 | 33 | 360 031 733 | 34 |
| 360 031 672 | 39 | 360 031 735 | 34, 39 |
| 360 031 673 | 34 | 360 031 742 | 82 |
| 360 031 674 | 39 | 360 031 781 | 22 |
| 360 031 675 | 34 | 360 031 802 | 71 |
| 360 031 676 | 37 | 360 031 822 | 97 |
| 360 031 677 | 32 | 360 031 852 | 76 |
| 360 031 678 | 37 | 360 031 858 | 22 |
| 360 031 679 | 32 | 360 031 971 | 10 |
| 360 031 680 | 38 | 360 032 003 | 15 |
| 360 031 681 | 33 | 360 032 004 | 16 |
| 360 031 682 | 38 | 360 032 120 | 92 |
| 360 031 683 | 33 | 360 032 121 | 97 |
| 360 031 684 | 39 | 360 032 149 | 23 |
| 360 031 685 | 34 | 360 032 178 | 82 |
| 360 031 686 | 39 | | |
| 360 031 687 | 34 | | |
| 360 031 688 | 37 | | |
| 360 031 689 | 32 | | |
| 360 031 690 | 37 | | |